

ISFS		F	A	C	M	U	T
1100	<i>Achillea clavенаe</i> L.	6-8	(Subalp.)-Alp.	1	I	H	
1200	<i>Achillea collina</i> Rchb.	6-9	Coll.-Subalp.	1	B	H	H
2000	<i>Achillea nobilis</i> L.	6-8	Coll.-Mont.	1	B	H	
2600	<i>Achillea tomentosa</i> L.	5-7	Coll.-Mont.-(Subalp.)	1	B	H	
3100	<i>Aconitum anthora</i> L.	8-9	Mont.-Subalp.	1	I	I	
4000	<i>Aconitum penninum</i> (Ser.) Gáyer			2	B	H	H
4400	<i>Aconitum variegatum</i> L. s.str.	7-9	Mont.-Subalp.	1	I	H	D
5300	<i>Adenophora liliifolia</i> (L.) A. DC.	7	Coll.-Mont.	1	I	H	
5700	<i>Adiantum capillus-veneris</i> L.	6-9	Coll.	1	B	H	
5800	<i>Adonis aestivalis</i> L.	5-7	Coll.-(Mont.)	1	B	I	D
6100	<i>Adonis flammea</i> Jacq.	5-7	Coll.-(Mont.)	1	I	I	D
6200	<i>Adonis vernalis</i> L.	4-5	Coll.	1	B	H	
7000	<i>Aethionema saxatile</i> (L.) R. Br.	4-6	Coll.-Subalp.	1	I	H	
7600	<i>Agrimonia procera</i> Wallr.	6-9	Coll.-Mont.	1	B	H	H
9700	<i>Aira caryophylla</i> L.	6-7	Coll.-(Mont.)	1	B	I	
9900	<i>Aira elegantissima</i> Schur	5-6	Coll.-(Mont.)	1	I	I	
10000	<i>Aira praecox</i> L.	5-6	Coll.-(Mont.)	1	I	I	
10100	<i>Ajuga chamaepitys</i> (L.) Schreb.	5-9	Coll.-Mont.-(Subalp.)	1	B	I	
21600	<i>Aldrovanda vesiculosa</i> L.	7-8	Coll.	1	I	m	
21700	<i>Alisma gramineum</i> Lej.	6-8	Coll.	1	I	m	H
21800	<i>Alisma lanceolatum</i> With.	6-8	Coll.	1	B	I	
22200	<i>Allium angulosum</i> L.	7-8	Coll.	1	B	H	
22500	<i>Allium carinatum</i> subsp. <i>pulchellum</i> Bonnier & Layens	7	Coll.	1	B	H	
23000	<i>Allium lineare</i> L.	8	Mont.-Subalp.	1	B	H	
24000	<i>Allium rotundum</i> L.	6-7	Coll.	1	I	I	
24700	<i>Allium suaveolens</i> Jacq.	7-9	Coll.	1	I	H	
26600	<i>Alyssoides utriculata</i> (L.) Moench	4	Coll.-Mont.	1	B	H	
26700	<i>Alyssum alpestre</i> L.	7-8	Subalp.-Alp.	1	I	I	
27200	<i>Alyssum montanum</i> L.	4-6	Coll.-Subalp.	1	B	H	
29650	<i>Anacamptis pyramidalis</i> var. <i>tanayensis</i> Chenevard			1	B	H	
29900	<i>Anagallis foemina</i> Mill.	6-9	Coll.-Mont.	1	B	I	D
30000	<i>Anagallis minima</i> (L.) E. H. L. Krause	6-8	Coll.-(Mont.)	1	B	I	
30100	<i>Anagallis tenella</i> (L.) L.	5-6	Coll.-(Mont.)	1	I	H	
30600	<i>Anchusa italica</i> Retz.	6-8	Coll.	1	I	I	
31400	<i>Androsace brevis</i> (Hegetschw.) Ces.	6	(Subalp.)-Alp.	1	I	H	
32300	<i>Androsace maxima</i> L.	4-5	Coll.-Mont.	1	I	I	
32800	<i>Androsace septentrionalis</i> L.	6-7	(Mont.)-Subalp.	1	B	I	
33000	<i>Androsace villosa</i> L.	7	Subalp.-Alp.	1	I	H	
33100	<i>Androsace vitaliana</i> (L.) Lapeyr.	6-8	(Subalp.)-Alp.	1	B	H	
33800	<i>Anemone sylvestris</i> L.	4-5	Coll.-(Mont.)	1	I	H	
34200	<i>Anogramma leptophylla</i> (L.) Link	3-4	Coll.-Mont.	1	I	I	
34800	<i>Anthemis cotula</i> L.	5-9	Coll.-Mont.-(Subalp.)	1	I	I	H
35000	<i>Anthemis triumfettii</i> (L.) DC.	7-8	Coll.-Mont.	1	I	I	D
35600	<i>Anthriscus caucalis</i> M. Bieb.	6	Coll.	1	B	I	
36400	<i>Anthyllis montana</i> L. s.str.	6	Coll.-Subalp.	1	I	H	
37200	<i>Anthyllis vulneraria</i> subsp. <i>polyphylla</i> (DC.) Nyman	5-8	Coll.-Subalp.	1	B	H	H
37800	<i>Apera interrupta</i> (L.) P. Beauv.	6	Coll.	1	B	I	
38050	<i>Aphanes australis</i> Rydb.	4-9	Coll.	1	B	I	
38500	<i>Apium nodiflorum</i> (L.) Lag.	7-8	Coll.	1	I	H	
38600	<i>Apium repens</i> (Jacq.) Lag.	7-8	Coll.	1	I	H	
39000	<i>Aquilegia einseleana</i> F. W. Schultz	7	Mont.-Subalp.	1	I	H	
39600	<i>Arabis auriculata</i> Lam.	4-5	Coll.-Mont.-(Subalp.)	1	I	I	
40300	<i>Arabis collina</i> Ten.	5	Coll.-Mont.-(Subalp.)	1	B	H	D
41000	<i>Arabis nemorensis</i> (Hoffm.) W. D. J. Koch	5-7	Coll.	1	I	H	H
41100	<i>Arabis nova</i> Vill.	5-6	(Coll.)-Mont.-Subalp.	1	B	I	
41600	<i>Arabis sagittata</i> (Bertol.) DC.	5-7	Coll.-Mont.	1	B	H	H
41700	<i>Arabis scabra</i> All.	5	Coll.-Mont.	1	I	I	
42500	<i>Arctium minus</i> subsp. <i>pubens</i> (Bab.) Arènes	7-9	Coll.-Mont.-(Subalp.)	1	I	I	H
42800	<i>Arctium tomentosum</i> Mill.	8-9	(Coll.)-Mont.-(Subalp.)	1	B	I	
43800	<i>Arenaria gothica</i> Fr.	6-9	Mont.	1	I	I	
43900	<i>Arenaria grandiflora</i> L.	5-7	Mont.-Alp.	1	I	H	
44600	<i>Aristolochia clematitis</i> L.	5-8	Coll.	1	B	T	
44800	<i>Aristolochia rotunda</i> L.	5-6	Coll.	1	I	H	
45100	<i>Armeria alpina</i> var. <i>purpurea</i> (W. D. J. Koch) E. Baumann	6	Coll.	1	I	H	
45000	<i>Armeria alpina</i> Willd. s.str.	7	(Subalp.)-Alp.	1	B	H	
45200	<i>Armeria arenaria</i> (Pers.) Schult.	7	Coll.-Mont.-(Subalp.)	1	I	H	
45800	<i>Arnoseris minima</i> (L.) Schweigg. & Körte	7-9	Coll.	1	I	I	
46500	<i>Artemisia borealis</i> Pall.	7-8	(Subalp.)-Alp.	1	B	H	
47200	<i>Artemisia glacialis</i> L.	7-8	Alp.	1	B	H	

ISFS		F	A	C	M	U	T
47500	Artemisia nivalis Braun-Blanq.			1	I	H	
48100	Arum italicum Mill.	4-5	Coll.	1	B	I	
49000	Asparagus tenuifolius Lam.	5	Coll.-Mont.	1	B	H	
49200	Asperula aristata L. f.	6-8	Coll.-Mont.-(Subalp.)	1	I	H	
49300	Asperula arvensis L.	5-7	Coll.-(Mont.)	1	I	I	
49500	Asperula purpurea (L.) Ehrend.	7-8	Coll.-Mont.	1	B	H	
49700	Asperula tinctoria L.	6-7	Coll.-(Mont.)	1	I	H	
49800	Asphodelus albus Mill.	5-7	Mont.-Subalp.	1	B	H	
49950	Asplenium adulterinum Milde	7-8	Coll.-Subalp.	1	B	H	D
50100	Asplenium billotii F. W. Schultz	6-9	Coll.	1	I	H	D
50300	Asplenium cuneifolium Viv.	6-8	Mont.-Subalp.	1	B	H	D
50400	Asplenium fissum Willd.			1	B	H	D
50600	Asplenium foreziense Magnier	6-9	Coll.-Mont.	1	I	H	D
50800	Asplenium onopteris L.	5-10	Coll.	1	I	H	
53700	Astragalus depressus L.	5-7	(Mont.)-Subalp.-(Alp.)	1	B	H	
53800	Astragalus exscapus L.	5-7	(Coll.)-Mont.-Subalp.	1	B	H	
54200	Astragalus leontinus Wulfen	6-7	(Mont.)-Subalp.-(Alp.)	1	B	H	
54800	Astragalus sempervirens Lam.	5-7	Mont.-Subalp.-(Alp.)	1	B	H	
56400	Atriplex prostrata DC.	7-9	Coll.	1	B	I	
57800	Baldellia ranunculoides (L.) Parl.	6-7	Coll.	1	I	H	
58000	Ballota nigra L. s.str.	6-8	Coll.-Mont.	1	I	H	
60200	Betula humilis Schrank	5	Mont.	1	I	H	
60300	Betula nana L.	5	Mont.	1	B	H	
60800	Bidens cernua L.	7-9	Coll.-(Mont.)	1	B	I	
61200	Bidens radiata Thuill.	7-9	Coll.	1	I	I	D
61800	Biscutella cichoriifolia Loisel.	5-6	Coll.-Mont.	1	I	I	
62300	Blackstonia acuminata (W. D. J. Koch & Ziz) Domin	8-10	Coll.	1	B	I	
62400	Blackstonia perfoliata (L.) Huds.	7-8	Coll.-(Mont.)	1	B	I	
62700	Blitum virgatum L.	6-7	Coll.-Subalp.	1	B	I	
62900	Bolboschoenus maritimus (L.) Palla	6-8	Coll.	1	I	m	
63200	Botrychium lanceolatum (S. G. Gmel.) Ångstr.	6-7	Coll.-Mont.	1	I	I	
63400	Botrychium matricariifolium (Döll) W. D. J. Koch	6-7	Coll.-Mont.	1	I	I	
63500	Botrychium multifidum (S. G. Gmel.) Rupr.	7-8	Coll.-Subalp.	1	I	I	
63600	Botrychium simplex E. Hitchc.	5-7	Coll.-Subalp.	1	I	I	D
63700	Botrychium virginianum (L.) Sw.	6-8	Mont.-Subalp.	1	I	I	
65800	Bromus erectus subsp. condensatus (Hack.) Asch. & Graebn.	5-7	Coll.-Mont.	1	B	H	
65900	Bromus grossus DC.	6-7	Coll.-Mont.	1	B	I	H
66550	Bromus racemosus L.	5-6	Coll.-Mont.-(Subalp.)	1	I	I	H
67000	Bromus secalinus L.	6-7	Coll.-Mont.-(Subalp.)	1	B	I	H
67100	Bromus squarrosus L.	5-6	Coll.-Mont.-(Subalp.)	1	B	I	
67800	Bufonia paniculata Dubois	7	Coll.	1	I	I	
68000	Buglossoides purpurocaerulea (L.) I. M. Johnst.	5-6	Coll.-(Mont.)	1	B	H	
68100	Bulbocodium vernum L.	2-5	Coll.-Subalp.-(Alp.)	1	B	I	
68200	Bunias erucago L.	6-7	Coll.-Mont.	1	I	I	
69600	Bupleurum longifolium L.	6-8	Mont.-(Subalp.)	1	I	I	
70100	Bupleurum ranunculoides subsp. caricinum (DC.) Arcang.	7-8	(Coll.)-Mont.-(Subalp.)	1	I	H	H
70200	Bupleurum rotundifolium L.	6-7	Coll.-Mont.	1	B	I	
70400	Butomus umbellatus L.	6-7	Coll.	1	B	m	
70700	Calamagrostis canescens (F. H. Wigg.) Roth	6-8	Coll.-Mont.	1	I	H	
71100	Calamagrostis phragmitoides Hartm.			1	I	H	
71200	Calamagrostis pseudophragmites (Haller f.) Koeler	7-8	Coll.-Mont.	1	B	H	
71600	Calamintha ascendens Jord.	6-9	Coll.	1	B	H	H
71800	Calamintha grandiflora (L.) Moench	7	(Coll.)-Mont.-(Subalp.)	1	B	H	
71950	Calamintha nepeta (L.) Savi	6-9	Coll.-Mont.	1	B	H	H
72300	Caldesia parnassifolia (L.) Parl.	7-9	Coll.	1	B	I	D
72400	Calendula arvensis L.	6-12	Coll.	1	B	I	
72600	Calepina irregularis (Asso) Thell.	5-6	Coll.	1	B	I	
72700	Calla palustris L.	6	Coll.-Mont.	1	B	T	
72800	Callianthemum coriandrifolium Rchb.	6-7	(Subalp.)-Alp.	1	B	H	
73200	Callitriche obtusangula Le Gall	5-9	Coll.	1	I	m	H
74100	Camelina alyssum (Mill.) Thell.			1	I	I	H
74200	Camelina microcarpa DC.	5-6	Coll.-Subalp.	1	B	I	H
74750	Campanula bertolae Colla			1	I	H	H
74800	Campanula bononiensis L.	7-9	Coll.-Mont.	1	B	H	
75100	Campanula cervicaria L.	6-8	Coll.-Mont.	1	I	I	
78400	Cardamine asarifolia L.	6-7	Mont.-Subalp.	1	I	T	
78500	Cardamine bulbifera (L.) Crantz	4-5	Coll.-Mont.-(Subalp.)	1	B	T	
78550	Cardamine dentata Schult.	5-6	Coll.-Mont.	1	B	T	H
79200	Cardamine matthioli Moretti	4-5	Coll.	1	I	T	H

ISFS		F	A	C	M	U	T
80500	<i>Cardamine trifolia</i> L.	5-6	Mont.	1	B	T	
81000	<i>Cardaminopsis halleri</i> (L.) Hayek	6	(Coll.)-Mont.-Subalp.	1	B	T	
83600	<i>Carex atrofusca</i> Schkuhr	7-8	(Subalp.)-Alp.	1	I	H	
83700	<i>Carex austroalpina</i> Bech.	5-6	Coll.-Mont.	1	I	H	
83800	<i>Carex baldensis</i> L.	7	Mont.-Subalp.	1	I	H	
84000	<i>Carex bohemica</i> Schreb.	8-9	Coll.	1	I	H	
84500	<i>Carex buxbaumii</i> Wahlenb.	5-6	Coll.-Subalp.	1	I	H	
85000	<i>Carex cespitosa</i> L.	4-5	Coll.	3	B	H	H
85100	<i>Carex chordorrhiza</i> L. f.	5-6	Coll.-Mont.-(Subalp.)	1	I	T	
85900	<i>Carex depauperata</i> With.	5-6	Coll.	1	I	H	
86000	<i>Carex diandra</i> Schrank	5-6	Coll.-Mont.-(Subalp.)	1	B	H	
87000	<i>Carex elongata</i> L.	4-6	Coll.-(Mont.)	1	B	H	
87300	<i>Carex fimbriata</i> Schkuhr	7-8	Alp.	1	B	H	
87900	<i>Carex fritschii</i> Waisb.	5	Coll.	1	B	H	
88400	<i>Carex hartmanii</i> Cajander	5-6	Coll.-(Mont.)	1	B	H	
88500	<i>Carex heleonastes</i> L. f.	5-6	Coll.-Subalp.	1	I	H	
88900	<i>Carex juncella</i> (Fr.) Th. Fr.	5-7	Subalp.	1	I	H	
89200	<i>Carex lasiocarpa</i> Ehrh.	5-6	Coll.-Mont.-(Subalp.)	1	B	m	
89900	<i>Carex maritima</i> Gunnerus	7-8	Subalp.-Alp.	1	B	T	
90200	<i>Carex microglochin</i> Wahlenb.	6-8	(Mont.)-Subalp.-Alp.	1	B	T	
90900	<i>Carex norvegica</i> Retz.	7	Subalp.-Alp.	1	I	H	
92700	<i>Carex praecox</i> Schreb. s.str.			1	I	T	
95100	<i>Carex vaginata</i> Tausch	7-8	Subalp.	1	I	T	
95500	<i>Carex vulpina</i> L.	5-6	Coll.-Mont.	1	B	H	
96200	<i>Carlina biebersteinii</i> Hornem. s.str.	7-8	Mont.-Subalp.	1	B	I	H
96800	<i>Carpesium cernuum</i> L.	7-8	Coll.-(Mont.)	1	I	I	
97000	<i>Carthamus lanatus</i> L.	6-7	Coll.-Mont.	1	I	I	
97300	<i>Catabrosa aquatica</i> (L.) P. Beauv.	6-9	Coll.-Subalp.	1	I	m	
97800	<i>Celtis australis</i> L.	3-4	Coll.	1	B	I	
98400	<i>Centaurea calcitrapa</i> L.	7-10	Coll.	1	I	I	
99000	<i>Centaurea jacea</i> subsp. <i>gaudinii</i> (Boiss. & Reut.) Gremli	7-9	Coll.-Subalp.	1	B	H	
99100	<i>Centaurea maculosa</i> Lam.			1	B	I	H
99300	<i>Centaurea nemoralis</i> Jord.	7-10	Coll.-(Mont.)	1	B	H	
99800	<i>Centaurea pseudophrygia</i> C. A. Mey.	7-8	(Mont.)-Subalp.	1	B	H	
99900	<i>Centaurea rhaetica</i> Moritzi	7	(Mont.)-Subalp.	1	B	H	
100600	<i>Centaurea splendens</i> L.	7-8	Coll.-(Mont.)	1	I	I	
100900	<i>Centaurea triumfettii</i> All.	6-7	Coll.-Subalp.	1	B	H	
101100	<i>Centaurea valesiaca</i> (DC.) Jord.			1	B	I	
101500	<i>Centranthus angustifolius</i> (Mill.) DC.	6-8	Coll.-Mont.-(Subalp.)	1	I	H	
102100	<i>Cephalaria alpina</i> (L.) Roem. & Schult.	7-8	Mont.-Subalp.	1	B	H	
102800	<i>Cerastium arvense</i> subsp. <i>suffruticosum</i> (L.) Ces.	4-7	Coll.-Mont.	1	I	H	H
102900	<i>Cerastium austroalpinum</i> Kunz	6-9	Subalp.-(Alp.)	1	I	H	
103100	<i>Cerastium brachypetalum</i> subsp. <i>tenoreanum</i> (Ser.) Soó	3-5	Coll.	1	I	I	
105500	<i>Ceratophyllum demersum</i> L.	6-8	Coll.-(Mont.)	1	B	m	
105600	<i>Ceratophyllum submersum</i> L.	6-8	Coll.	1	I	m	
106600	<i>Chaerophyllum elegans</i> Gaudin	6-8	(Mont.)-Subalp.-(Alp.)	1	I	H	H
107200	<i>Chamaecytisus hirsutus</i> (L.) Link	4-7	Coll.-Mont.-(Subalp.)	1	I	H	D
107400	<i>Chamaecytisus supinus</i> (L.) Link	4-6	Coll.-Mont.	1	B	H	D
109400	<i>Chenopodium murale</i> L.	7-9	Coll.	1	B	I	H
109500	<i>Chenopodium opulifolium</i> Schrad.	7-8	Coll.	1	B	I	H
110000	<i>Chenopodium urbicum</i> L.	7-9	Coll.	1	I	I	H
110200	<i>Chimaphila umbellata</i> (L.) W. P. C. Barton	6-7	Coll.	1	I	T	
110300	<i>Chondrilla chondrilloides</i> (Ard.) H. Karst.	7	Coll.-Mont.	2	B	H	
112400	<i>Chrysopogon gryllus</i> (L.) Trin.	6-8	Coll.	1	B	H	
113000	<i>Cicerbita plumieri</i> (L.) Kirschl.	7-8	Mont.-Subalp.	1	B	H	
113300	<i>Cicuta virosa</i> L.	6-8	Coll.-Mont.	1	I	H	
113900	<i>Cirsium canum</i> (L.) All.	7-9	Coll.	1	I	I	
114300	<i>Cirsium erisithales</i> (Jacq.) Scop.	7-8	(Coll.)-Mont.-Subalp.	1	B	H	
114700	<i>Cirsium montanum</i> (Willd.) Spreng.	6-8	Mont.-(Subalp.)	1	I	H	
115400	<i>Cirsium tuberosum</i> (L.) All.	6-8	Coll.-Mont.	1	B	H	
115600	<i>Cistus salviifolius</i> L.	5	Coll.-(Mont.)	1	B	H	
115900	<i>Cleistogenes serotina</i> (L.) Keng	8-9	Coll.	1	B	m	
116300	<i>Clematis recta</i> L.	5-7	Coll.-Mont.-(Subalp.)	1	B	H	
116700	<i>Clypeola jonthlaspi</i> L.	3-4	Coll.-Mont.	1	B	I	
116900	<i>Cnidium silaifolium</i> (Jacq.) Simonk.	7	Coll.-Mont.	1	I	H	
117100	<i>Cochlearia pyrenaica</i> DC.	6-9	Mont.-Subalp.	1	I	H	
117600	<i>Colchicum alpinum</i> DC.	7-8	Mont.-Subalp.	1	B	I	
118100	<i>Colutea arborescens</i> L.	5	Coll.-(Mont.)	1	B	H	
118400	<i>Conium maculatum</i> L.	6-9	Coll.-(Mont.)	1	B	I	

ISFS		F	A	C	M	U	T
118700	Consolida regalis Gray	6-8	Coll.-(Mont.)	1	B	I	
120000	Coronilla coronata L.	6	Coll.-Mont.	1	B	H	
120200	Coronilla minima L.	6-7	Coll.-(Mont.)	1	B	H	
121000	Cortusa matthioli L.	5-7	(Mont.)-Subalp.	1	B	H	
121300	Corydalis lutea (L.) DC.	5-9	Coll.-Mont.-(Subalp.)	1	I	H	
121700	Cotinus coggygria Scop.	6	Coll.-Mont.	1	I	H	
123700	Crepis froelichiana Froel.	5	Mont.-Subalp.	1	I	H	
123900	Crepis kernerii Rech. f.	7-8	(Subalp.)-Alp.	1	B	H	
124500	Crepis praemorsa (L.) Walther	5-6	Coll.-Mont.	1	B	H	
124900	Crepis rhaetica Hegetschw.	7-8	Alp.	1	I	H	
125400	Crepis tectorum L.	5-7	Coll.-Subalp.	1	B	I	
126400	Cruciata pedemontana (Bellardi) Ehrend.	4-5	Coll.-Mont.	1	B	I	
126500	Crupina vulgaris Cass.	6	Coll.-(Mont.)	1	B	I	
126700	Cucubalus baccifer L.	7-9	Coll.	1	B	H	
127700	Cuscuta epilinum Weihe	6-7	Coll.-Mont.	1	I	T	
129200	Cynoglossum germanicum Jacq.	6-7	Mont.	1	B	I	
129500	Cynosurus echinatus L.	5-7	Coll.-Mont.	1	B	I	
129700	Cyperus flavescens L.	7-9	Coll.-Mont.	1	B	I	
129900	Cyperus glomeratus L.	7-9	Coll.	1	I	H	
130000	Cyperus longus L.	7-9	Coll.	1	B	m	
130100	Cyperus michelianus (L.) Delile	8-9	Coll.	1	I	I	D
130200	Cyperus rotundus L.	8-9	Coll.	1	I	T	H
130300	Cyperus serotinus Rottb.	7-9	Coll.	1	I	T	H
130600	Cystopteris dickieana R. Sim	6-9	(Coll.)-Mont.-Alp.	2	B	H	H
131100	Cytisus decumbens (Durande) Spach	5-6	Coll.-Mont.	1	B	H	
131200	Cytisus emeriflorus Rchb.	6	Coll.-Mont.	1	I	H	
132000	Dactylis polygama Horv.	6-7	Coll.-(Mont.)	1	I	H	
132100	Dactylorhiza cruenta (O. F. Müll.) Soó	6-8	(Mont.)-Subalp.	1	B	I	
132360	Dactylorhiza incarnata subsp. <i>ochroleuca</i> (Boll) P. F. Hunt & Summerh.			1	I	I	
900247	Dactylorhiza maculata (L.) Soó [s.str. prov.]			1	I	I	D
133000	Danthonia alpina Vest	6-7	Coll.-Mont.	1	I	H	
133400	Daphne cneorum L.	5	Coll.-Mont.-(Subalp.)	1	B	H	
135000	Deschampsia littoralis (Gaudin) Reut.	5-7	Coll.-(Mont.)	1	B	H	H
135900	Dianthus deltoides L.	6-8	Coll.-Mont.-(Subalp.)	1	B	T	
136000	Dianthus glacialis Haenke	7-8	Alp.	1	B	H	
136100	Dianthus gratianopolitanus Vill.	5-7	Coll.-Mont.	1	B	H	
136200	Dianthus hyssopifolius L.	7	Mont.-Subalp.	1	I	H	
137000	Dictamnus albus L.	5-6	Coll.	1	B	H	
137900	Diphasiastrum complanatum (L.) Holub	7-9	(Mont.)-Subalp.	1	I	H	T
138000	Diphasiastrum tristachyum (Pursh) Holub	7-9	Mont.-Subalp.	1	I	H	T
138100	Diphasiastrum x issleri (Rouy) Holub	7-9	Coll.-Subalp.	1	I	H	T
138200	Diphasiastrum x zeileri (Rouy) Holub			3	B	H	T
140100	Doronicum pardalianches L.	5-6	Coll.-Mont.	1	B	T	
140200	Dorycnium germanicum (Gremli) Rikli	7	Coll.-(Mont.)	1	I	H	
140300	Dorycnium herbaceum Vill.	6-7	Coll.-(Mont.)	1	B	H	
141000	Draba incana L.	6	Subalp.-Alp.	1	I	H	
141100	Draba ladina Braun-Blanq.	7-8	Alp.	1	I	H	
141200	Draba muralis L.	4-5	Coll.-(Mont.)	1	B	I	
141300	Draba nemorosa L.	5-6	Coll.-Mont.-(Subalp.)	1	B	I	
141550	Draba thomasii W. D. J. Koch	6-7	Subalp.-Alp.	1	B	H	
141700	Dracocephalum austriacum L.	5-6	Coll.-Subalp.	1	B	H	
142000	Drosera anglica Huds.	7-8	Coll.-Subalp.	1	B	H	
142100	Drosera intermedia Hayne	7-8	Coll.-Mont.	1	I	H	D
142400	Drosera x obovata Mert. & W. D. J. Koch			1	I	H	D
143200	Dryopteris cristata (L.) A. Gray	7-9	Coll.-Mont.	1	B	H	
144300	Echinops sphaerocephalus L.	7-9	Coll.-(Mont.)	1	B	H	D
144600	Elatine alsinastrum L.	6-8	Coll.	1	I	T	
144700	Elatine hexandra (Lapierre) DC.	7-9	Coll.	1	I	H	
144800	Elatine hydropiper L.	7-9	Coll.	1	I	H	
144900	Elatine triandra Schkuhr	7-9	Coll.	1	I	H	H
145000	Eleocharis acicularis (L.) Roem. & Schult.	6-8	Coll.-Subalp.	1	B	m	
145100	Eleocharis atropurpurea (Retz.) J. & C. Presl	8-9	Coll.	1	I	H	
145200	Eleocharis austriaca Hayek	5-8	Coll.-Subalp.	1	B	T	H
145400	Eleocharis mamillata H. Lindb.	5-8	Coll.-Mont.	1	B	T	H
145600	Eleocharis ovata (Roth) Roem. & Schult.	6-8	Coll.	1	B	H	
146450	Elymus athericus (Link) Kerguélen	6-7	Coll.-Mont.	1	B	H	
146800	Empetrum nigrum L. s.str.	5-6	Mont.	1	I	m	
147000	Ephedra helvetica C. A. Mey.	4-5	Coll.-Mont.	1	B	H	
148100	Epilobium duriaei Godr.	7-8	(Mont.)-Subalp.	1	I	H	

ISFS		F	A	C	M	U	T
148500	<i>Epilobium lanceolatum</i> Sebast. & Mauri	6-9	Coll.-Mont.	1	I	H	H
149300	<i>Epilobium tetragonum</i> subsp. <i>lamyi</i> (F. W. Schultz) Nyman	6-9	Coll.-(Mont.)	1	B	H	
150350	<i>Epipactis placentina</i> Bongiorno & Grünanger			1	I	H	D
150450	<i>Epipactis rhodanensis</i> Gévaudan & Robatsch			1	B	H	D
150460	<i>Epipactis stellifera</i> Di Antonio & Veya			1	I	H	D
151200	<i>Equisetum pratense</i> Ehrh.	5-6	(Mont.)-Subalp.	1	I	T	H
151700	<i>Equisetum x trachyodon</i> A. Br.			1	B	T	H
152700	<i>Erica vagans</i> L.	6-10	Coll.	1	I	H	
155300	<i>Eriophorum gracile</i> Roth	5	Coll.-Mont.	1	B	T	H
156300	<i>Erodium pilosum</i> (Thuill.) Jord.	6-8	Coll.-Mont.	1	B	I	
156800	<i>Eruca sativa</i> Mill.	5-8	Coll.-Mont.	1	B	I	
157300	<i>Eryngium campestre</i> L.	7-8	Coll.-(Mont.)	1	B	H	
158200	<i>Erysimum ochroleucum</i> (Schleich.) DC.	6-7	Coll.-Subalp.	1	B	H	
158700	<i>Erysimum virgatum</i> Roth	6-7	Coll.-Subalp.	1	B	I	H
158800	<i>Erythronium dens-canis</i> L.	3-4	Coll.-Subalp.	1	B	I	
159600	<i>Euphorbia carniolica</i> Jacq.	6	Coll.-Mont.	1	I	T	
160100	<i>Euphorbia falcata</i> L.	6-9	Coll.	1	B	I	
160800	<i>Euphorbia palustris</i> L.	5-6	Coll.	1	B	H	
162200	<i>Euphrasia christii</i> Gremli	7-8	(Subalp.)-Alp.	1	B	I	
162300	<i>Euphrasia cisalpina</i> Pugsley	7-10	Coll.-Mont.-(Subalp.)	2	B	I	H
163300	<i>Euphrasia picta</i> subsp. <i>arguta</i> (F. Towns.) Yeo	5-9	Coll.-Subalp.	2	B	I	H
165100	<i>Falcaria vulgaris</i> Bernh.	7-8	Coll.	1	I	H	
168400	<i>Festuca norica</i> (Hack.) K. Richt.	7-8	Subalp.-Alp.	2	B	H	H
170900	<i>Festuca stenantha</i> (Hack.) K. Richt.	7-8	Mont.-Subalp.-(Alp.)	2	I	H	H
171300	<i>Festuca ticinensis</i> (Markgr.-Dann.) Markgr.-Dann.			1	I	H	H
172300	<i>Filago arvensis</i> L.	7-9	Coll.-Mont.-(Subalp.)	1	B	I	D
172400	<i>Filago gallica</i> L.	7-9	Coll.	1	I	I	D
172600	<i>Filago lutescens</i> Jord.	7-9	Coll.-(Mont.)	1	I	I	D
172700	<i>Filago minima</i> (Sm.) Pers.	6-9	Coll.-(Mont.)	1	I	I	D
172800	<i>Filago pyramidata</i> L.	7-9	Coll.	1	I	I	D
172900	<i>Filago vulgaris</i> Lam.	7-9	Coll.-(Mont.)	1	I	I	D
173300	<i>Fimbristylis annua</i> (All.) Roem. & Schult.	7-9	Coll.	1	I	I	D
173500	<i>Fourraea alpina</i> (L.) Greuter & Burdet	5-6	Coll.-Subalp.	1	B	H	
174300	<i>Fraxinus ornus</i> L.	4-5	Coll.	1	B	H	
174400	<i>Fritillaria meleagris</i> L.	4-5	Coll.-Mont.	1	I	I	
174600	<i>Fumana ericoides</i> (Cav.) Gand.	5-7	Coll.-(Mont.)	1	I	H	
174800	<i>Fumaria capreolata</i> L.	6-9	Coll.	1	B	I	
175100	<i>Fumaria officinalis</i> subsp. <i>wirtgenii</i> (W. D. J. Koch) Arcang.	5-9	Coll.-Mont.	1	B	I	H
175300	<i>Fumaria schleicheri</i> Soy.-Will.	5-9	Coll.-Mont.-(Subalp.)	1	B	I	H
175800	<i>Gagea minima</i> (L.) Ker Gawl.	5-6	Mont.-(Subalp.)	1	B	H	
175900	<i>Gagea pratensis</i> (Pers.) Dumort.	4	Coll.	1	B	H	
176000	<i>Gagea saxatilis</i> (Mert. & W. D. J. Koch) Schult. & Schult. f.	3-4	Coll.-Mont.	1	B	H	
176100	<i>Gagea villosa</i> (M. Bieb.) Sweet	3-5	Coll.-(Mont.)	1	B	H	
176500	<i>Galeopsis bifida</i> Boenn.	7-8	Coll.-Subalp.	1	I	I	H
176900	<i>Galeopsis segetum</i> Neck.	6-10	Coll.-Mont.-(Subalp.)	1	B	I	
177000	<i>Galeopsis speciosa</i> Mill.	7-9	(Coll.)-Mont.-Subalp.	1	B	I	
178300	<i>Galium glaucum</i> L.	5-7	Coll.-Mont.	1	B	H	
179500	<i>Galium parisiense</i> L.	6-8	Coll.-Mont.	1	B	I	
180200	<i>Galium saxatile</i> L.	6-8	Coll.-Mont.	1	I	H	
180500	<i>Galium tricornutum</i> Dandy	6-9	Coll.-Mont.-(Subalp.)	1	I	I	
180600	<i>Galium triflorum</i> Michx.	7-8	Mont.-Subalp.	1	I	H	
181300	<i>Gaudinia fragilis</i> (L.) P. Beauv.	5-6	Coll.	1	B	I	
181700	<i>Genista pilosa</i> L.	4-6	Coll.-Mont.-(Subalp.)	1	B	H	
181800	<i>Genista radiata</i> (L.) Scop.	5-8	Coll.-Mont.-(Subalp.)	1	B	H	
182300	<i>Gentiana alpina</i> Vill.	6-7	Alp.	1	B	H	
182400	<i>Gentiana amarella</i> L.	7-10	Mont.-Subalp.	1	I	I	D
182600	<i>Gentiana anisodonta</i> Borbás	6-9	Subalp.-Alp.	1	I	I	D
183300	<i>Gentiana campestris</i> subsp. <i>baltica</i> (Murb.) Vollm.	8-10	Coll.-Mont.	3	B	I	D
183900	<i>Gentiana insubrica</i> Kunz	6-7-(9)	Mont.-Subalp.	1	I	I	H
184500	<i>Gentiana pannonica</i> Scop.	8-9	Subalp.-(Alp.)	1	I	H	
184700	<i>Gentiana prostrata</i> Haenke	7-8	Subalp.-Alp.	1	I	I	
185100	<i>Gentiana schleicheri</i> (Vacc.) Kunz	7-8	Alp.	1	B	H	
187000	<i>Geranium bohemicum</i> L.	7-8	Coll.-Subalp.	1	I	I	
187300	<i>Geranium divaricatum</i> Ehrh.	6-7	Coll.-Mont.-(Subalp.)	1	B	I	
187500	<i>Geranium lucidum</i> L.	5-8	Coll.-Mont.	1	B	I	
187800	<i>Geranium nodosum</i> L.	6-7	Coll.-(Mont.)	1	B	H	
189900	<i>Gladiolus imbricatus</i> L.	7	Coll.-Mont.	1	I	I	
190000	<i>Gladiolus italicus</i> Mill.	6	Coll.	1	I	I	
190100	<i>Gladiolus palustris</i> Gaudin	6-7	Coll.-Mont.	1	B	H	

ISFS		F	A	C	M	U	T
191400	<i>Glyceria declinata</i> Bréb.	6-9	Coll.-Mont.	1	I	H	
191600	<i>Glyceria maxima</i> (Hartm.) Holmb.	7-8	Coll.	1	B	H	
192300	<i>Gnaphalium luteoalbum</i> L.	7-9	Coll.	1	B	I	
193000	<i>Gratiola officinalis</i> L.	7-8	Coll.-Mont.	1	B	H	
193600	<i>Gypsophila muralis</i> L.	7-10	Coll.-Mont.	1	B	I	
193900	<i>Hammarbya paludosa</i> (L.) Kuntze	7-8	Mont.	1	I	I	
194400	<i>Helianthemum apenninum</i> (L.) Mill.	5-6	Coll.-(Mont.)	1	I	H	
194500	<i>Helianthemum canum</i> (L.) Hornem.	6	Coll.-Mont.-(Subalp.)	1	I	H	
194700	<i>Helianthemum italicum</i> (L.) Pers.	5-6	Coll.-Mont.	3	B	H	H
195500	<i>Helianthemum salicifolium</i> (L.) Mill.	4-5	Coll.	1	I	I	
197200	<i>Heliotropium europaeum</i> L.	7-9	Coll.	1	B	I	
197400	<i>Helleborus niger</i> L.	12-3-(5)	Coll.-Mont.-(Subalp.)	1	B	H	
197500	<i>Helleborus viridis</i> L.	3-4	Coll.-Mont.	1	B	H	
198200	<i>Heracleum austriacum</i> L.	7-9	Mont.-Subalp.	1	B	H	
199000	<i>Heracleum sphondylium</i> subsp. <i>pyrenaicum</i> (Lam.) Bonnier & Layens	6-7	Subalp.	1	I	H	H
199700	<i>Heteropogon contortus</i> (L.) Roem. & Schult.	8-9	Coll.	1	I	H	
199800	<i>Hieracium alpicola</i> Steud. & Hochst.	7-8	Alp.	1	I	H	H
200400	<i>Hieracium bauhinii</i> Schult.	6-7	Coll.-Mont.	1	B	H	D
200800	<i>Hieracium caespitosum</i> Dumort.	6-7	Coll.-Mont.	1	B	H	D
206100	<i>Hierochloë odorata</i> (L.) P. Beauv.	5-7	Mont.-Subalp.	1	I	T	
208100	<i>Hordeum secalinum</i> Schreb.	6	Coll.-Mont.	1	I	H	
208400	<i>Horminum pyrenaicum</i> L.	6-8	(Coll.)-Mont.-Subalp.-(Alp.)	1	B	H	
208500	<i>Hornungia petraea</i> (L.) Rchb.	4	Coll.-Mont.-(Subalp.)	1	B	I	
208600	<i>Hottonia palustris</i> L.	5-7	Coll.	1	B	m	
208700	<i>Hugueninia tanacetifolia</i> (L.) Rchb.	7	Subalp.-(Alp.)	1	B	H	
209300	<i>Hydrocharis morsus-ranae</i> L.	6-8	Coll.	1	B	m	
209400	<i>Hydrocotyle vulgaris</i> L.	6-7	Coll.-(Mont.)	1	B	m	
209500	<i>Hymenolobus pauciflorus</i> (W. D. J. Koch) Schinz & Thell.	5-7	Mont.-Subalp.-(Alp.)	1	I	I	
209700	<i>Hyoscyamus niger</i> L.	5-8	Coll.-Mont.-(Subalp.)	1	I	I	
210100	<i>Hypericum coris</i> L.	6-7	Coll.-Mont.-(Subalp.)	1	B	H	
211300	<i>Hypericum pulchrum</i> L.	6-7	Coll.-Mont.	1	B	T	
211400	<i>Hypericum richeri</i> Vill.	7	Mont.-Subalp.	1	B	T	
211900	<i>Hypochoeris glabra</i> L.	7-9	Coll.	1	I	I	H
212400	<i>Hyssopus officinalis</i> L.	7	Coll.-(Mont.)	1	B	H	
212500	<i>Iberis amara</i> L.	6-10	Coll.-Mont.	1	I	I	
212600	<i>Iberis intermedia</i> Guers.	6-7	Coll.-Mont.	1	I	I	
212900	<i>Iberis pinnata</i> L.	5	Coll.-Mont.	1	B	I	
213000	<i>Iberis saxatilis</i> L.	4-5	(Coll.)-Mont.-Subalp.	1	I	I	
213400	<i>Illecebrum verticillatum</i> L.	7-9	Coll.	1	I	I	D
214000	<i>Inula britannica</i> L.	7-8	Coll.-Mont.	1	I	T	
214500	<i>Inula helvetica</i> Weber	7-8	Coll.	1	B	H	
214600	<i>Inula hirta</i> L.	6-7	Coll.-Mont.	1	B	H	
214900	<i>Inula spiraeifolia</i> L.	7-8	Coll.-(Mont.)	1	I	T	
215200	<i>Iris graminea</i> L.	5	Coll.-Mont.	1	I	H	
215600	<i>Iris sibirica</i> L.	6	Coll.-(Mont.)	1	B	H	
216500	<i>Isoëtes echinospora</i> Durieu	7-9	Mont.-Subalp.	1	I	I	H
216600	<i>Isoëtes lacustris</i> L.	7-9	Mont.-Subalp.	1	I	I	H
216300	<i>Isolepis setacea</i> (L.) R. Br.	6-9	(Coll.)-Mont.	1	B	H	
216400	<i>Isopyrum thalictroides</i> L.	4-5	Coll.	1	B	H	
217900	<i>Juncus ambiguus</i> Guss.	6-9	Coll.	1	I	I	D
218000	<i>Juncus arcticus</i> Willd.	7-8	Subalp.-Alp.	1	B	H	
218300	<i>Juncus bulbosus</i> L.	6-8	Coll.-Mont.	1	B	H	
218400	<i>Juncus capitatus</i> Weigel	6-8	Coll.	1	I	I	
218500	<i>Juncus castaneus</i> Sm.	7-8	Subalp.-Alp.	1	I	H	
219500	<i>Juncus sphaerocarpus</i> Nees	6-9	Coll.-(Mont.)	1	I	I	
219600	<i>Juncus squarrosus</i> L.	6-8	Mont.-Subalp.	1	I	H	
219700	<i>Juncus stygius</i> L.	7-8	Mont.	1	I	H	
219900	<i>Juncus tenageia</i> L. f.	6-8	Coll.	1	I	I	
221900	<i>Knautia godetii</i> Reut.	6-8	(Coll.)-Mont.-Subalp.	1	B	H	
222100	<i>Knautia purpurea</i> (Vill.) Borbás	7-8	Coll.-Mont.-(Subalp.)	1	B	H	
222400	<i>Knautia transalpina</i> (H. Christ) Briq.	7-8	Coll.-Subalp.	1	I	H	
224300	<i>Laburnum anagyroides</i> Medik.	5-6	Coll.-Mont.-(Subalp.)	1	B	H	
224500	<i>Lactuca saligna</i> L.	7-10	Coll.	1	I	I	
224900	<i>Lactuca viminea</i> (L.) J. & C. Presl	7	Coll.-Mont.	1	B	I	
225000	<i>Lactuca virosa</i> L.	7-9	Coll.-(Mont.)	1	B	I	
226600	<i>Lappula deflexa</i> (Wahlenb.) Garcke	6-8	(Coll.)-Mont.-Subalp.-(Alp.)	1	B	I	
228000	<i>Laserpitium prutenicum</i> L.	7-9	Coll.-(Mont.)	1	B	I	
228900	<i>Lathyrus aphaca</i> L.	5-7	Coll.-Mont.-(Subalp.)	1	I	I	
229000	<i>Lathyrus bauhinii</i> P. A. Genty	6-7	Coll.-Mont.	1	I	H	

ISFS		F	A	C	M	U	T
229400	Lathyrus hirsutus L.	6-7	Coll.-(Mont.)	1	B	I	
230100	Lathyrus nissolia L.	5-7	Coll.-(Mont.)	1	I	I	
230300	Lathyrus palustris L.	6-7	Coll.	1	B	H	
230700	Lathyrus sphaericus Retz.	5-6	Coll.-Mont.	1	B	I	
230900	Lathyrus tuberosus L.	6-7	Coll.-(Mont.)	1	B	H	
231100	Lathyrus venetus (Mill.) Wohlf.	5-6	Coll.-Mont.	1	I	H	
231400	Lathyrus vernus subsp. gracilis (Gaudin) Arcang.	4-5	Coll.-Mont.	2	B	H	
231800	Leersia oryzoides (L.) Sw.	8-9	Coll.-(Mont.)	1	B	m	
231900	Legousia hybrida (L.) Delarbre	5-6	Coll.	1	I	I	
232200	Lemna gibba L.	5-9	Coll.-(Mont.)	1	I	m	H
232800	Leontodon crispus Vill.	6-7	Coll.-Mont.	1	B	H	H
233900	Leontodon incanus subsp. tenuiflorus (Gaudin) Schinz & R. Keller	4-5	Coll.-Subalp.	1	I	H	
234200	Leontodon saxatilis Lam.	7-9	Coll.	1	B	H	H
235200	Lepidium graminifolium L.	6-10	Coll.-Mont.	1	B	H	
236600	Leucanthemum heterophyllum (Willd.) DC.	6-7	(Coll.)-Mont.-Subalp.	2	B	H	H
237000	Leucjum aestivum L.	4-5	Coll.	1	I	H	
237600	Ligusticum lucidum Mill.	7-8	Mont.-Subalp.	1	I	H	H
238200	Lilium bulbiferum L. s.str.	6-7	Mont.-Subalp.	1	B	I	
238700	Limosella aquatica L.	7-9	Coll.-Mont.-(Subalp.)	1	I	I	
239000	Linaria alpina subsp. petraea (Jord.) Rouy	6-8	Mont.-Subalp.	1	B	H	
240400	Lindernia procumbens (Krock.) Borbás	7-9	Coll.	1	I	I	
242400	Littorella uniflora (L.) Asch.	4-5 et 8-9	Coll.	1	B	m	
242900	Lolium remotum Schrank	6-8	Coll.	1	I	I	
243000	Lolium rigidum Gaudin	5	Coll.-Mont.	1	I	I	
243100	Lolium temulentum L.	6-7	Coll.-Mont.	1	I	I	
243200	Lomatogonium carinthiacum (Wulfen) Rchb.	8	Subalp.-Alp.	1	I	I	
243300	Lomelosia graminifolia (L.) Greuter & Burdet	7-9	Coll.-Mont.	1	I	H	
243700	Lonicera etrusca Santi	6	Coll.	1	I	H	
245100	Lotus tenuis Willd.	5-7	Coll.	1	B	H	
245300	Ludwigia palustris (L.) Elliott	7-8	Coll.	1	I	T	
246400	Luzula forsteri (Sm.) DC.	4-5	Coll.	1	B	H	H
249400	Lycopodiella inundata (L.) Holub	7-10	Coll.-Subalp.	1	I	m	
251100	Lycopus europaeus subsp. mollis (A. Kern.) Murr			1	I	T	
251900	Lythrum hyssopifolia L.	6-9	Coll.	1	B	I	
252000	Lythrum portula (L.) D. A. Webb	6-9	Coll.-(Mont.)	1	I	H	
253900	Marsilea quadrifolia L.	7-10	Coll.	1	I	m	
254500	Matteuccia struthiopteris (L.) Tod.	6-8	Coll.-(Mont.)	1	B	H	
254700	Matthiola valesiaca Boiss.	5-7	Coll.-Subalp.	1	B	H	
256200	Melampyrum arvense L.	5-7	Coll.-Mont.-(Subalp.)	1	B	I	
256400	Melampyrum nemorosum L.	7-8	Coll.-Mont.	1	I	I	
257000	Melica transsilvanica Schur	6	Coll.-Mont.-(Subalp.)	1	I	H	
258300	Mentha pulegium L.	7-9	Coll.	1	I	H	
259000	Mercurialis ovata Sternb. & Hoppe	4-5	Coll.-(Mont.-Subalp.)	1	I	T	
259300	Meum athamanticum Jacq.	6-8	Mont.-Subalp.-(Alp.)	1	B	H	
259500	Micropus erectus L.	6-7	Coll.	1	I	I	
259600	Microphyrum tenellum (L.) Link	5-6	Coll.	1	I	I	
260400	Minuartia capillacea (All.) Graebn.	7-8	Mont.-Subalp.	1	I	H	
260600	Minuartia cherlerioides subsp. rionii (Gremli) Friedrich	7-8	Alp.	1	B	H	
261450	Minuartia rostrata (Pers.) Rchb.	7-8	Mont.-Subalp.-(Alp.)	1	B	H	
261900	Minuartia stricta (Sw.) Hiern	7-8	Coll.-Mont.	1	I	H	
262200	Minuartia viscosa (Schreb.) Schinz & Thell.	5-6	Coll.-Mont.	1	I	I	
262300	Misopates orontium (L.) Raf.	7-10	Coll.-Mont.	1	B	I	
263100	Moenchia erecta (L.) P. Gaertn. & al.	5	Coll.	1	I	I	H
263200	Moenchia mantica (L.) Bartl.	5-6	Coll.-(Mont.)	1	I	I	
263600	Molopospermum peloponnesiacum (L.) W. D. J. Koch	6-7	(Coll.)-Mont.-Subalp.	1	B	H	
264100	Montia fontana L. s.str.	6-8	(Coll.)-Mont.-Subalp.-(Alp.)	1	I	H	H
264200	Montia fontana subsp. amporitana Sennen	5-9	Coll.-Mont.	3	B	I	H
264300	Montia fontana subsp. chondrosperma (Fenzl) Walters	4-5	Coll.-(Mont.)	1	I	H	H
265100	Murbeckiella pinnatifida (Lam.) Rothm.	7-8	Subalp.-Alp.	1	I	H	
265200	Muscari botryoides (L.) Mill.	3-4	Coll.-Mont.-(Subalp.)	1	B	H	
266000	Myosotis cespitosa Schultz	5-7	Coll.-Mont.	1	B	I	
266200	Myosotis discolor Pers.	4-6	Coll.	1	B	I	
266700	Myosotis rehsteineri Wartm.	4-5	Coll.	1	B	H	
266900	Myosotis stricta Roem. & Schult.	4-6	Coll.-Mont.-(Subalp.-Alp.)	1	B	I	
267400	Myosurus minimus L.	4-5	Coll.	1	I	I	
267600	Myriophyllum alterniflorum DC.	7-8	Coll.-Mont.	1	I	m	H
268200	Najas flexilis (Willd.) Rostk. & W. L. E. Schmidt	7-8	Coll.	1	I	m	H
268400	Najas marina L.	7-8	Coll.	1	B	m	H
268500	Najas minor All.	7-8	Coll.	1	I	m	

ISFS		F	A	C	M	U	T
269400	<i>Narcissus x verbanensis</i> (Herb.) M. Roem.			1	I	H	
269800	<i>Nasturtium microphyllum</i> (Boenn.) Rchb.	6-9	Coll.	1	I	m	H
270400	<i>Nepeta nuda</i> L.	7-8	Coll.-Mont.	1	B	H	
270700	<i>Neslia paniculata</i> (L.) Desv. s.str.	6-9	Coll.-Mont.-(Subalp.)	1	B	I	
271300	<i>Nigella arvensis</i> L.	7-9	Coll.	1	I	I	
271450	<i>Nigritella austriaca</i> (Teppner & E. Klein) P. Delforge			1	B	I	T
272200	<i>Notholaena marantae</i> (L.) Desv.	5-7	Coll.-(Mont.)	1	I	H	
272400	<i>Nuphar pumila</i> (Timm) DC.	7-8	(Coll.)-Mont.-(Subalp.)	1	I	F	
273150	<i>Odontites vernus</i> (Bellardi) Dumort.	5-7	Coll.-Mont.-(Subalp.)	1	B	I	D
273400	<i>Odontites viscosus</i> (L.) Clairv.	7-9	Coll.-Mont.	1	B	I	
273600	<i>Oenanthe aquatica</i> (L.) Poir.	6-8	Coll.	1	B	I	
273700	<i>Oenanthe fistulosa</i> L.	5-8	Coll.	1	I	T	D
273900	<i>Oenanthe lachenalii</i> C. C. Gmel.	7-9	Coll.	1	I	H	D
274000	<i>Oenanthe peucedanifolia</i> Pollich	5-7	Coll.	1	I	H	D
277200	<i>Onosma helvetica</i> (A. DC.) Boiss.	6-7	Coll.-(Mont.)	1	I	I	H
277600	<i>Onosma pseudoarenaria</i> subsp. <i>helvetica</i> Rauschert			1	I	I	H
278300	<i>Ophrys araneola</i> Rchb.	3-5	Coll.-(Mont.)	1	B	H	
279000	<i>Ophrys holosericea</i> subsp. <i>elatior</i> (R. Engel & P. Quentin) H. Baumann	7-9	Coll.	1	I	H	
279200	<i>Ophrys sphegodes</i> Mill.	4-6	Coll.-(Mont.)	1	B	H	
279400	<i>Oplismenus undulatifolius</i> (Ard.) Roem. & Schult.	7-9	Coll.	1	B	T	
280000	<i>Orchis coriophora</i> L.	5-7	Coll.-Mont.	1	B	I	
280700	<i>Orchis laxiflora</i> Lam.	5	Coll.-Mont.	1	I	I	
281300	<i>Orchis palustris</i> Jacq.	5-6	Coll.	1	B	I	
281400	<i>Orchis papilionacea</i> L.	4-5	Coll.-Mont.	1	B	I	
281500	<i>Orchis provincialis</i> DC.	4-5	Coll.-Mont.	1	I	I	
281900	<i>Orchis spitzelii</i> W. D. J. Koch	5-7	Mont.-Subalp.	1	I	I	
282100	<i>Orchis tridentata</i> Scop.	4-6	Coll.-Mont.	1	B	I	
282700	<i>Orlaya grandiflora</i> (L.) Hoffm.	5-7	Coll.-Mont.	1	I	I	
283000	<i>Ornithogalum gussonei</i> Ten.	4-5	Coll.	3	B	I	H
284100	<i>Orobanche alsatica</i> Kirschl. s.str.			1	I	T	H
284150	<i>Orobanche alsatica</i> subsp. <i>libanotidis</i> (Rupr.) Pusch			3	B	T	H
284400	<i>Orobanche arenaria</i> Borkh.	6-7	Coll.-Mont.	1	B	T	H
284500	<i>Orobanche artemisiae-campestris</i> Gaudin	6	Coll.-Mont.	1	B	T	H
284900	<i>Orobanche elatior</i> Sutton	6-8	Coll.-Mont.-(Subalp.)	1	B	T	H
285100	<i>Orobanche gracilis</i> Sm.	6	Coll.-Mont.-(Subalp.)	1	B	T	H
285200	<i>Orobanche hederæ</i> Duby	6-8	Coll.	1	B	T	
285600	<i>Orobanche lucorum</i> F. W. Schultz	7-8	(Coll.)-Mont.-(Subalp.)	1	I	T	H
285700	<i>Orobanche lutea</i> Baumg.	7	Coll.-Mont.	1	I	T	H
286000	<i>Orobanche picridis</i> F. W. Schultz	6	Coll.	1	I	T	H
286100	<i>Orobanche purpurea</i> Jacq.	6-7	Coll.-Mont.-(Subalp.)	1	B	T	H
286200	<i>Orobanche ramosa</i> L.	7-9	Coll.-Mont.	1	I	T	
286500	<i>Orobanche salviae</i> F. W. Schultz	7-8	(Coll.)-Mont.-(Subalp.)	1	I	T	H
287000	<i>Osmunda regalis</i> L.	6-7	Coll.	1	I	H	
288400	<i>Oxytropis campestris</i> subsp. <i>tyroliensis</i> (Fritsch) Leins & Merxm.	6-8	(Subalp.)-Alp.	1	B	H	
288500	<i>Oxytropis fetida</i> (Vill.) DC.	7-8	(Subalp.)-Alp.	1	B	H	
289000	<i>Oxytropis halleri</i> subsp. <i>velutina</i> (Schur) O. Schwarz	4-7	Coll.-Subalp.	1	B	H	
289200	<i>Oxytropis helvetica</i> Scheele	7-8	(Subalp.)-Alp.	2	B	H	
289500	<i>Oxytropis neglecta</i> Ten.	7-8	Subalp.-Alp.	1	I	H	
289600	<i>Oxytropis pilosa</i> (L.) DC.	5-7	Coll.-Mont.	1	B	H	
290000	<i>Paeonia officinalis</i> L.	5-6	Coll.-Mont.	1	B	H	
290700	<i>Papaver apulum</i> Ten.	4-6	Coll.	1	B	I	
290800	<i>Papaver argemone</i> L.	4-6	Coll.-Mont.	1	B	I	
291300	<i>Papaver hybridum</i> L.	5-6	Coll.	1	I	I	D
291600	<i>Papaver occidentale</i> (Markgr.) H. E. Hess & Landolt	7-8	Alp.	1	I	H	
291900	<i>Papaver sendtneri</i> Hayek	7-8	Alp.	1	I	H	
293800	<i>Pedicularis aspleniifolia</i> Willd.	7-8	Alp.	1	I	H	
294300	<i>Pedicularis gyroflexa</i> Vill.	6-7	Subalp.-Alp.	1	I	H	
295000	<i>Pedicularis rostratocapitata</i> Crantz	7-8	(Subalp.)-Alp.	1	B	H	
295300	<i>Pedicularis sylvatica</i> L.	5-6	Coll.-Mont.	1	B	H	
296100	<i>Petrocallis pyrenaica</i> (L.) R. Br.	6-7	(Subalp.)-Alp.	2	B	H	
296760	<i>Peucedanum austriacum</i> subsp. <i>rablense</i> (Wulfen) Celak.			1	I	H	H
297600	<i>Peucedanum venetum</i> (Spreng.) W. D. J. Koch	7-8	Coll.	1	B	H	
299800	<i>Phleum paniculatum</i> Huds.	6	Coll.	1	I	I	
301300	<i>Phyteuma hedraianthifolium</i> Rich. Schulz	7-8	(Subalp.)-Alp.	1	I	H	
301500	<i>Phyteuma humile</i> Gaudin	7-8	(Subalp.)-Alp.	1	B	H	
302200	<i>Phyteuma scorzonerifolium</i> Vill.	6-7	Coll.-Subalp.	1	I	H	
303600	<i>Pilularia globulifera</i> L.	7-9	Coll.	1	I	m	
304400	<i>Pinguicula grandiflora</i> Lam. s.str.	6-7	Mont.-Subalp.	1	I	I	
309300	<i>Poa badensis</i> Willd.	5-6	Coll.-Mont.	1	I	H	H

ISFS		F	A	C	M	U	T
310400	Poa molinerii Balb.	6-7	(Coll.)-Mont.-Subalp.	1	B	H	H
310700	Poa perconcinna J. R. Edm.	4-5	Coll.-Alp.	1	B	H	
311000	Poa remota Forselles	7-8	(Coll.)-Mont.-Subalp.)	1	I	H	
311400	Poa trivialis subsp. <i>sylvicola</i> (Guss.) H. Lindb.	6-7	Coll.	1	B	m	
312100	Polycnemum arvense L.	7-9	Coll.	1	I	I	
312200	Polycnemum majus A. Braun	7-9	Coll.-(Mont.)	1	B	I	
312600	Polygala calcarea F. W. Schultz	5	Coll.	1	I	H	
313000	Polygala pedemontana E. P. Perrier & B. Verl.	5-7	Coll.-Mont.-(Subalp.)	1	B	H	
313300	Polygala vulgaris subsp. <i>oxyptera</i> (Rchb.) Schübl. & G. Martens	5-7	Coll.-Mont.	1	B	H	H
313900	Polygonum alpinum All.	7-8	(Mont.)-Subalp.	1	B	H	
315100	Polygonum lapathifolium subsp. <i>brittingeri</i> (Opiz) Jáv.	7-10	Coll.	1	I	I	D
316000	Polypodium cambricum L.	12-3	Coll.	1	I	T	H
318000	Potamogeton acutifolius Link	6-8	Coll.	1	I	m	H
318300	Potamogeton coloratus Hornem.	7-9	Coll.	1	B	m	H
318400	Potamogeton compressus L.	6-8	Coll.-Mont.	1	I	m	H
318700	Potamogeton filiformis Pers.	7-8	Coll.-Mont.-(Subalp.-Alp.)	1	I	m	H
318800	Potamogeton friesii Rupr.	6-8	Coll.	1	I	m	H
318900	Potamogeton gramineus L.	6-8	Coll.-Subalp.	1	B	m	H
319000	Potamogeton helveticus (G. Fisch.) W. Koch	9-10	Coll.-(Mont.)	1	I	m	H
319300	Potamogeton nodosus Poir.	7-8	Coll.	1	B	m	H
319500	Potamogeton obtusifolius Mert. & W. D. J. Koch	6-8	Coll.	1	I	m	H
320000	Potamogeton polygonifolius Pourr.	6-8	Coll.	1	I	m	H
320100	Potamogeton praelongus Wulfen	7-8	Mont.-Subalp.	1	I	m	H
320200	Potamogeton pusillus L.	6-9	Coll.-Subalp.	1	B	m	H
320400	Potamogeton trichoides Cham. & Schtdl.	6	Coll.-Mont.	1	I	m	H
320500	Potamogeton x angustifolius Bercht. & J. Presl	6-8	Coll.-Mont.-(Subalp.)	1	I	m	H
320600	Potamogeton x nitens Weber	6-8	Coll.-Subalp.	1	I	m	H
320700	Potentilla alba L.	4-6	Coll.	1	B	H	
320800	Potentilla alpicola Fauc.			1	I	H	H
321700	Potentilla cinerea Vill.	4-5	Coll.-Mont.	2	B	H	H
321900	Potentilla collina Wibel			1	I	H	H
322600	Potentilla grammopetala Moretti	7	Subalp.	1	B	H	
322800	Potentilla heptaphylla L.	4-5	Coll.-(Mont.)	1	B	H	
322850	Potentilla incana P. Gaertn. & al.			1	I	H	
322900	Potentilla inclinata Vill.	5-7	Coll.	1	B	H	H
323100	Potentilla leucopolitana P. J. Müll.			1	I	H	H
323300	Potentilla multifida L.	7-8	Alp.	1	B	H	
323600	Potentilla nivea L.	7-8	Subalp.-Alp.	1	B	H	
324100	Potentilla praecox F. W. Schultz			1	I	H	H
325000	Potentilla thuringiaca Link	6	Coll.-Mont.-(Subalp.)	1	B	H	
325900	Primula daonensis (Leyb.) Leyb.	6-7	(Subalp.)-Alp.	1	I	H	
326400	Primula glutinosa Jacq.	7-8	Alp.	1	I	H	
326500	Primula halleri J. F. Gmel.	6-7	(Mont.)-Subalp.-Alp.	1	B	H	
330500	Pseudostellaria europaea Schaeftl.	5-6	Coll.-Mont.	1	I	T	
330900	Pteris cretica L.	6-8	Coll.	1	I	H	
331000	Ptychotis saxifraga (L.) Loret & Barrandon	7-8	Coll.-Mont.	1	I	I	
331100	Puccinellia distans (Jacq.) Parl.	6-9	Coll.-Subalp.	1	B	H	
331300	Pulicaria vulgaris Gaertn.	7-9	Coll.	1	I	I	
331800	Pulmonaria helvetica Bolliger	3-5	Coll.-(Mont.)	1	B	H	
332600	Pulmonaria montana Lej. s.str.			1	B	H	H
332700	Pulmonaria montana subsp. <i>jurana</i> (Graber) W. Sauer			1	I	H	H
333500	Pulsatilla alpina subsp. <i>austriaca</i> Aichele & Schwegler			1	I	H	H
333550	Pulsatilla alpina subsp. <i>austroalpina</i> D. M. Moser			3	B	H	H
333700	Pulsatilla halleri (All.) Willd.	5-7	Subalp.-Alp.	1	B	H	
334200	Pulsatilla vulgaris Mill.	3-4	Coll.-Mont.	1	B	H	
334400	Pyrola chlorantha Sw.	6-7	(Coll.)-Mont.-Subalp.	1	B	T	
335200	Pyrus nivalis Jacq.	5	Coll.-Mont.	1	I	I	H
335600	Quercus cerris L.	5	Coll.	1	I	I	
336300	Radiola linoides Roth	7-8	Coll.	1	I	I	H
336900	Ranunculus aquatilis L.	5-8	Coll.-(Mont.-Subalp.)	1	I	m	H
337100	Ranunculus arvensis L.	5-7	Coll.-Mont.	1	B	I	
338000	Ranunculus circinatus Sibth.	5-8	Coll.-(Mont.)	1	B	m	H
338800	Ranunculus gramineus L.	4-5	Coll.	1	I	I	
340000	Ranunculus peltatus Schrank	4-8	Coll.-(Alp.)	1	I	m	H
340700	Ranunculus pygmaeus Wahlenb.	7-8	Alp.	1	I	H	
341000	Ranunculus reptans L.	5-9	Coll.-Subalp.	1	B	I	
341100	Ranunculus rionii Lagger	6-8	Coll.	1	I	m	H
341200	Ranunculus sardous Crantz	5-9	Coll.-(Mont.)	1	B	I	
341600	Ranunculus seguieri Vill.	5-7	Subalp.-Alp.	1	I	H	

ISFS		F	A	C	M	U	T
341800	<i>Ranunculus thora</i> L.	5-7	Mont.-Subalp.-(Alp.)	1	B	H	
342000	<i>Ranunculus trichophyllus</i> subsp. <i>eradicatus</i> (Laest.) C. D. K. Cook	7-8	Subalp.-Alp.	1	B	m	H
342800	<i>Rapistrum rugosum</i> (L.) All.	6-9	Coll.-Mont.-(Subalp.)	1	B	I	
343100	<i>Reseda phyteuma</i> L.	4-9	Coll.	1	B	I	
343700	<i>Rhamnus saxatilis</i> Jacq.	4-5	Coll.-Mont.	1	B	I	
344200	<i>Rhinanthus angustifolius</i> C. C. Gmel.	5-8	Coll.-(Mont.)	1	B	I	H
344400	<i>Rhinanthus antiquus</i> (Sterneck) Schinz & Thell.	7-8	Subalp.-Alp.	1	I	I	H
345900	<i>Rhynchospora fusca</i> (L.) W. T. Aiton	5-7	Coll.-Mont.-(Subalp.)	1	I	T	
346600	<i>Rorippa amphibia</i> (L.) Besser	5-7	Coll.	1	B	T	
346800	<i>Rorippa islandica</i> (Gunnerus) Borbás	6-8	Subalp.-Alp.	1	I	H	D
347150	<i>Rorippa stylosa</i> (Pers.) Mansf. & Rothm.	5-7	Coll.-Subalp.	1	B	H	
347300	<i>Rorippa x anceps</i> (Wahlenb.) Rchb.	6-8	Coll.-Mont.	1	B	H	D
347900	<i>Rosa chavinii</i> Rapin	6-7	Coll.-Mont.	2	B	H	H
348500	<i>Rosa elliptica</i> Tausch	7	Coll.-Mont.-(Subalp.)	2	B	H	H
348600	<i>Rosa gallica</i> L.	6	Coll.-Mont.	1	B	H	H
348800	<i>Rosa jundzillii</i> Besser	6-7	Coll.-Mont.	2	B	H	H
349100	<i>Rosa mollis</i> Sm.	6	Mont.-Subalp.	1	I	H	H
349800	<i>Rosa rhaetica</i> Gremler			1	B	H	H
350100	<i>Rosa sherardii</i> Davies	6	Coll.-Mont.	2	B	H	H
350300	<i>Rosa stylosa</i> Desv.	6-7	Coll.-Mont.	2	B	H	H
359600	<i>Rumex aquaticus</i> L.	8	Coll.-Mont.	1	I	H	H
360000	<i>Rumex hydrolapathum</i> Huds.	7-8	Coll.-(Mont.)	1	B	H	
360200	<i>Rumex maritimus</i> L.	7-8	Coll.-Mont.	1	B	I	
360700	<i>Rumex pulcher</i> L.	6-8	Coll.-Mont.	1	B	H	H
361200	<i>Ruscus aculeatus</i> L.	3-4	Coll.	1	B	H	
361800	<i>Sagina glabra</i> (Willd.) Fenzl	7-8	Subalp.-(Alp.)	1	I	H	
362100	<i>Sagina nodosa</i> (L.) Fenzl	7-8	Coll.-(Mont.)	1	I	H	
362400	<i>Sagina subulata</i> (Sw.) C. Presl	6-8	Coll.	1	I	H	
362700	<i>Sagittaria sagittifolia</i> L.	6-8	Coll.	1	B	H	
362900	<i>Salix alpina</i> Scop.	6-7	Subalp.	1	I	H	H
363000	<i>Salix apennina</i> A. K. Skvortsov	4-5	Coll.	1	B	H	H
363400	<i>Salix bicolor</i> Willd.	5-7	Mont.-Subalp.	1	I	H	H
363600	<i>Salix caesia</i> Vill.	6-7	Subalp.-(Alp.)	1	I	H	H
364400	<i>Salix glabra</i> Scop.	6-7	Mont.-Subalp.	1	I	H	H
364900	<i>Salix laggeri</i> Wimm.	5-7	Subalp.	1	I	H	H
365100	<i>Salix myrtilloides</i> L.	5-7	Mont.	1	I	T	D
365600	<i>Salix phylicifolia</i> L.	6	Subalp.	1	I	H	H
366700	<i>Salix x hegetschweileri</i> Heer			1	B	H	H
368500	<i>Samolus valerandi</i> L.	6-9	Coll.	1	I	I	
368800	<i>Sanguisorba minor</i> subsp. <i>polygama</i> (Waldst. & Kit.) Cout.	6-7	Coll.	1	B	H	
369300	<i>Saponaria lutea</i> L.	7-8	(Subalp.)-Alp.	1	I	H	
371200	<i>Saussurea alpina</i> subsp. <i>depressa</i> (Gren.) Nyman	7-8	Alp.	1	I	H	
372400	<i>Saxifraga bulbifera</i> L.	5-6	Coll.-Mont.	1	B	H	
372600	<i>Saxifraga cernua</i> L.	7	Subalp.-Alp.	1	I	H	
373000	<i>Saxifraga diapensioides</i> Bellardi	6-7	Subalp.-Alp.	1	B	H	
373400	<i>Saxifraga granulata</i> L.	5-6	Coll.-Mont.	1	B	H	
373600	<i>Saxifraga hirculus</i> L.	7-8	Mont.	1	I	T	
374550	<i>Saxifraga oppositifolia</i> subsp. <i>amphibia</i> (Sünd.) Braun-Blanq.			1	I	H	D
375000	<i>Saxifraga retusa</i> Gouan s.str.	6-7	(Subalp.)-Alp.	1	I	H	
377900	<i>Scandix pecten-veneris</i> L.	5-7	Coll.-(Mont.)	1	B	I	
378000	<i>Scheuchzeria palustris</i> L.	5-7	Coll.-Subalp.	1	B	T	
378300	<i>Schoenoplectus mucronatus</i> (L.) Palla	7-9	Coll.	1	B	H	
378400	<i>Schoenoplectus pungens</i> (Vahl) Palla	7-8	Coll.	1	I	T	
378600	<i>Schoenoplectus supinus</i> (L.) Palla	6-9	Coll.	1	I	I	
378800	<i>Schoenoplectus triqueter</i> (L.) Palla	7-8	Coll.	1	I	T	
379560	<i>Scirpoides holoschoenus</i> (L.) Soják	7-8	Coll.	1	I	H	
379800	<i>Scleranthus annuus</i> L. s.str.	4-10	Coll.-Mont.-(Subalp.)	1	B	I	H
379900	<i>Scleranthus annuus</i> subsp. <i>polycarpus</i> (L.) Bonnier & Layens	4-10	(Coll.)-Mont.-Subalp.	1	B	I	H
380000	<i>Scleranthus annuus</i> subsp. <i>verticillatus</i> (Tausch) Arcang.	4-10	Coll.	1	I	I	H
380200	<i>Scleranthus perennis</i> L.	5-8	Coll.-Mont.-(Subalp.)	1	B	H	
380500	<i>Sclerochloa dura</i> (L.) P. Beauv.	5-7	Coll.	1	B	I	
381200	<i>Scorzonera humilis</i> L.	5-6	Coll.-Mont.-(Subalp.)	1	B	H	
381300	<i>Scorzonera laciniata</i> L. s.str.	6	Coll.-Mont.	1	B	I	
381800	<i>Scrophularia auriculata</i> L.	6-8	Coll.	1	B	H	H
382000	<i>Scrophularia juratensis</i> Schleich.	6-8	Coll.-Subalp.	1	B	H	
385100	<i>Sedum rubens</i> L.	6-7	Coll.	1	B	I	
386000	<i>Sedum villosum</i> L.	6-8	Mont.-Alp.	1	B	H	
386400	<i>Selinum carvifolia</i> (L.) L.	7-9	Coll.-Mont.	1	B	I	
386900	<i>Sempervivum grandiflorum</i> Haw.	7-9	Subalp.-Alp.	1	I	H	

ISFS		F	A	C	M	U	T
388300	Senecio erraticus Bertol.	8-9	Coll.	1	B	H	
388700	Senecio halleri Dandy	7-8	Alp.	1	B	H	
389300	Senecio incanus subsp. insubricus (Chenevard) Braun-Blanq.	7-8	(Subalp.)-Alp.	1	B	H	
390200	Senecio sylvaticus L.	6-8	Coll.-Mont.-(Subalp.)	1	B	I	
390700	Serapias vomeracea (Burm. f.) Briq.	5	Coll.-Mont.	1	I	I	
391150	Serratula tinctoria subsp. monticola (Boreau) Berher	7-9	Mont.-Subalp.-(Alp.)	1	B	H	
391300	Seseli annuum L. s.str.	8-10	Coll.-Mont.	1	B	I	
391800	Seseli montanum L.	7-10	Coll.-Mont.	1	B	H	
392600	Sesleria sphaerocephala subsp. leucocephala (DC.) A. G. Richt.			1	I	H	H
393400	Setaria verticilliformis Dumort.	7-9	Coll.	1	B	I	H
393800	Sideritis hyssopifolia L.	7-8	Mont.-Subalp.	1	B	H	
393900	Sideritis montana L.	7-8	Coll.	1	I	I	
394500	Silene armeria L.	6-7	Coll.-Mont.	1	B	I	
394700	Silene coronaria (L.) Clairv.	6-8	Coll.-Mont.	1	I	H	
395300	Silene flos-jovis (L.) Clairv.	6-7	Mont.-Subalp.	1	B	H	
395400	Silene gallica L.	6-7	Coll.-Mont.	1	B	I	
396000	Silene noctiflora L.	6-9	Coll.-Mont.-(Subalp.)	1	B	I	H
396150	Silene nutans subsp. insubrica (Gaudin) Soldano	5-7	Coll.-Mont.	1	I	H	
396900	Silene saxifraga L.	5-7	Mont.-Subalp.	1	I	H	
397100	Silene vallesia L.	6-7	Mont.-Subalp.	1	I	H	
397200	Silene viscaria (L.) Borkh.	5-7	Coll.-(Mont.)	1	B	H	
398100	Sison amomum L.	7-8	Coll.	1	B	I	
398300	Sisymbrium austriacum Jacq.	5-6	Coll.-Mont.-(Subalp.)	1	B	H	
398400	Sisymbrium irio L.	5-7	Coll.	1	I	I	
398800	Sisymbrium strictissimum L.	6	Coll.-Mont.-(Subalp.)	1	I	H	
398900	Sisymbrium supinum L.	6-9	Coll.-Mont.	1	I	I	
399300	Sium latifolium L.	7-9	Coll.	1	I	T	D
400460	Solanum villosum Mill. s.str.	6-9	Coll.	1	B	I	H
401700	Sonchus arvensis subsp. uliginosus (M. Bieb.) Nyman	7-10	Coll.-Mont.	1	I	T	
402000	Sonchus palustris L.	7-9	Coll.	1	I	H	D
402500	Sorbus domestica L.	5-6	Coll.	1	B	I	H
403200	Sparganium erectum L. s.str.	6-8	Coll.-Mont.	1	B	m	
403300	Sparganium erectum subsp. microcarpum (Neuman) Domin	6-8	Coll.-Mont.	1	B	m	
403400	Sparganium erectum subsp. neglectum (Beeby) K. Richt.	6-8	Coll.-Mont.	1	B	m	
403800	Sparganium natans L.	7-8	Coll.-Subalp.	1	B	m	
404800	Spergularia segetalis (L.) G. Don	5-6	Coll.	1	I	I	
405300	Stachys alopecuros (L.) Benth.	6-7	(Coll.)-Mont.-Subalp.	1	I	H	
405600	Stachys arvensis (L.) L.	6-10	Coll.-(Mont.)	1	B	I	
406700	Stachys recta subsp. grandiflora (Caruel) Arcang.	6-10	Coll.-Subalp.	1	I	H	
407000	Staphylea pinnata L.	5	Coll.	1	B	I	
407600	Stellaria holostea L.	5-6	Coll.-Mont.	1	B	T	
407700	Stellaria longifolia Willd.	6-7	Subalp.	1	I	T	
408300	Stellaria pallida (Dumort.) Crép.	3-5	Coll.-Mont.	1	B	I	H
408400	Stellaria palustris Hoffm.	6-7	Coll.-Subalp.	1	I	T	H
409900	Subularia aquatica L.	6-9	Coll.-Mont.	1	I	I	H
410300	Swertia perennis L.	7-8	Mont.-Subalp.	1	B	H	
410700	Symphytum bulbosum K. F. Schimp.	4	Coll.-Mont.	1	I	T	
410900	Symphytum tuberosum L.	5-6	Coll.-Mont.	1	B	T	
412100	Taraxacum aquilonare Hand.-Mazz.	7-8	Mont.-Alp.	2	B	H	H
412300	Taraxacum ceratophorum aggr.	6-8	Alp.	1	I	H	H
412600	Taraxacum dissectum (Ledeb.) Ledeb.	7-8	Alp.	1	B	H	H
412700	Taraxacum fontanum aggr.	6-8	Subalp.-Alp.	1	I	H	H
413200	Taraxacum pacheri Sch. Bip.	7-8	Alp.	1	B	H	H
413700	Teesdalia nudicaulis (L.) R. Br.	4-5	Coll.-(Mont.)	1	I	I	H
414000	Telephium imperati L.	6-7	Coll.-Mont.-(Subalp.)	1	B	H	
414100	Tephrosieris capitata (Wahlenb.) Griseb. & Schenk	6-7	Subalp.-Alp.	1	B	H	
414200	Tephrosieris helenitis (L.) B. Nord.	6-7	Coll.-Mont.	1	I	H	
414300	Tephrosieris integrifolia (L.) Holub	6-7	Coll.-Mont.	1	B	H	
414400	Tephrosieris tenuifolia (Gaudin) Holub	7-8	(Mont.)-Subalp.	1	I	H	
415200	Teucrium scordium L.	6-8	Coll.-(Mont.)	1	I	H	
415400	Thalictrum alpinum L.	7-8	(Subalp.)-Alp.	1	B	H	
415600	Thalictrum bauhini Crantz			2	B	T	H
416000	Thalictrum galioides Pers.			1	I	T	H
416100	Thalictrum lucidum L.	6-7	Coll.	1	I	H	H
417000	Thelypteris palustris Schott	7-9	Coll.-Mont.-(Subalp.)	1	B	T	
417300	Thesium bavarum Schrank	6-7	Coll.-Mont.	1	B	H	
417500	Thesium humifusum DC.			1	I	H	H
417600	Thesium linophyllum L.	6-7	Coll.-Mont.	1	B	H	
417800	Thesium rostratum Mert. & W. D. J. Koch	5	Coll.-Mont.	1	I	H	

ISFS		F	A	C	M	U	T
419200	Thlaspi rotundifolium subsp. corymbosum Gremli	6-7	Subalp.-Alp.	1	B	H	
419400	Thlaspi sylvium Gaudin	6-7	Subalp.-Alp.	1	B	H	
419500	Thlaspi virens Jord.	4-6	(Mont.)-Subalp.-Alp.	1	I	H	
419800	Thymelaea passerina (L.) Coss. & Germ.	7-9	Coll.-(Mont.)	1	I	I	
422000	Torilis arvensis (Huds.) Link	6-8	Coll.	1	B	I	
423200	Tragopogon pratensis subsp. minor (Mill.) Hartm.	5-7	Coll.-(Mont.)	1	B	I	
423400	Tragus racemosus (L.) All.	6-8	Coll.	1	B	H	
423500	Trapa natans L.	8	Coll.	1	I	m	
424200	Trientalis europaea L.	5-7	(Coll.)-Mont.-Subalp.	1	I	T	
426800	Trifolium patens Schreb.	6-9	Coll.-(Mont.)	1	I	I	
427600	Trifolium saxatile All.	7-8	(Mont.)-Subalp.-Alp.	1	B	I	
427700	Trifolium scabrum L.	5-7	Coll.-Mont.	1	B	I	H
427800	Trifolium spadiceum L.	6-8	Mont.-Subalp.	1	B	H	
427900	Trifolium striatum L.	5-7	Coll.-(Mont.)	1	B	I	H
428500	Trigonella monspeliaca L.	5	Coll.-Mont.	1	B	I	
428600	Trinia glauca (L.) Dumort.	4-7	Coll.-Mont.-(Subalp.)	1	B	I	
429200	Trisetum cavanillesii Trin.	4-5	Coll.-Mont.	1	I	I	
430500	Trochiscanthes nodiflora (All.) W. D. J. Koch	7	Coll.-Mont.	1	B	H	
431000	Tulipa didieri Jord.			1	B	I	
431300	Tulipa grengiolensis Thommen			1	B	I	
431500	Tulipa sylvestris subsp. australis (Link) Pamp.	5-6	Mont.-Subalp.	1	B	T	
431800	Turgenia latifolia (L.) Hoffm.	6-8	Coll.-(Mont.-Subalp.)	1	I	I	
432300	Typha minima Hoppe	5	Coll.-(Mont.)	1	B	T	
432400	Typha shuttleworthii W. D. J. Koch & Sond.	6-7	Coll.-(Mont.)	1	B	T	
432600	Ulex europaeus L.	4-5	Coll.-(Mont.)	1	I	H	
433300	Umbilicus rupestris (Salisb.) Dandy	5-7	Coll.	1	I	H	
433700	Utricularia bremii Heer	6-9	Coll.	1	I	m	H
433800	Utricularia intermedia Hayne	6-9	Coll.-Mont.	1	B	m	H
433900	Utricularia minor L.	6-9	Coll.-Subalp.	1	B	m	H
434100	Utricularia ochroleuca R. W. Hartm.	6-7	Coll.-Mont.	1	I	m	H
434200	Utricularia vulgaris L.	6-8	Coll.-Mont.	1	B	m	
434300	Vaccaria hispanica (Mill.) Rauschert	6-7	Coll.-Mont.-(Subalp.)	1	I	I	
434700	Vaccinium microcarpum (Rupr.) Schmalh.	5-7	(Coll.)-Mont.-Subalp.	1	B	m	H
435400	Valeriana celtica L.	7-8	(Subalp.)-Alp.	1	B	H	
436000	Valeriana pratensis Dierb.	5-6	Coll.	1	I	T	H
436300	Valeriana salianca All.	7-8	(Subalp.)-Alp.	1	I	H	
436500	Valeriana saxatilis L.	6-8	(Coll.)-Mont.-Subalp.-(Alp.)	1	I	H	
437300	Valerianella dentata (L.) Pollich	6-7	Coll.-Mont.	1	B	I	
437400	Valerianella eriocarpa Desv.	5-6	Coll.	1	I	I	
437600	Valerianella rimosa Bastard	6-7	Coll.-Mont.	1	B	I	
438200	Veratrum nigrum L.	6-8	Coll.-Mont.	1	I	H	
438400	Verbascum blattaria L.	6-8	Coll.	1	B	I	
438500	Verbascum chaixii Vill. s.str.	7-8	Coll.-Mont.	1	I	H	
439200	Verbascum phlomoides L.	6-9	Coll.	1	B	I	
439500	Verbascum pulverulentum Vill.	6-9	Coll.-Subalp.	1	B	I	
440100	Veronica acinifolia L.	4-5	Coll.-Mont.	1	I	I	
440600	Veronica anagalloides Guss.	5-8	Coll.	1	I	I	H
440900	Veronica austriaca L.	6-7	Coll.-Mont.	1	I	H	
441300	Veronica catenata Pennell	5-9	Coll.-(Mont.)	1	B	I	
442900	Veronica praecox All.	3-5	Coll.-Mont.-(Subalp.)	1	B	I	
443000	Veronica prostrata L. s.str.	5-6	Coll.-Mont.-(Subalp.)	1	B	T	
443100	Veronica prostrata subsp. scheereri J.-P. Brandt	6	Coll.-Mont.	1	I	H	
444000	Veronica triphyllus L.	3-5	Coll.-Mont.-(Subalp.)	1	B	I	
444200	Veronica verna L.	4-6	Coll.-Mont.-(Subalp.)	1	B	I	
445200	Vicia cracca subsp. tenuifolia (Roth) Bonnier & Layens	6-8	Coll.-Mont.-(Subalp.)	1	B	H	
446100	Vicia lathyroides L.	4-6	Coll.	1	I	I	
446500	Vicia orobus DC.	6-7	Coll.-Mont.	1	I	H	
446900	Vicia pisiformis L.	6-8	Coll.	1	I	H	
448900	Viola alba subsp. scotophylla (Jord.) Nyman	3-4	Coll.	1	B	H	
450200	Viola elatior Fr.	5-6	Coll.	1	I	H	
450400	Viola kitaibeliana Schult.	4-5	Coll.-Mont.	1	B	I	
451200	Viola persicifolia Schreb.	5	Coll.	1	I	H	
451400	Viola pumila Chaix	5-6	Coll.	1	I	H	D
452200	Viola suavis M. Bieb.	4	Coll.	1	I	H	H
453500	Vitis sylvestris C. C. Gmel.			1	I	I	D
453700	Vulpia bromoides (L.) Gray	5-7	Coll.	1	I	I	H
454000	Vulpia unilateralis (L.) Stace	5-6	Coll.	1	B	I	H
454700	Woodsia ilvensis (L.) R. Br.	7-8	Mont.-Subalp.	1	I	H	H
454800	Woodsia pulchella Bertol.	6-8	Subalp.-Alp.	1	I	H	

ISFS		F	A	C	M	U	T
455200	Xanthium strumarium L.	7-10	Coll.	1	I	I	
455600	Xeranthemum inapertum (L.) Mill.	7-8	Coll.-Mont.	1	I	I	

1702	<i>Achillea millefolium</i> subsp. <i>sudetica</i> (Opiz) J. Weiss			4	B	H	
2300	<i>Achillea roseoalba</i> Ehrend.	6-8	Coll.-Mont.	4	B	H	H
2500	<i>Achillea stricta</i> Gremlí	7-8	(Mont.)-Subalp.-(Alp.)	4	B	H	H
900230	<i>Aconitum altissimum</i> Mill. [s.str. prov.]			4	B	H	
3400	<i>Aconitum lamarckii</i> Rchb.	7-8	Mont.-Subalp.	4	B	H	H
4600	<i>Aconitum variegatum</i> subsp. <i>paniculatum</i> (Arcang.) Negodi	7-9	Mont.-Subalp.	4	B	H	H
4700	<i>Aconitum variegatum</i> subsp. <i>rostratum</i> (DC.) Gáyer			4	B	H	H
4800	<i>Aconitum variegatum</i> subsp. <i>valesiacum</i> (Gáyer) Greuter & Burdet	7-9	Mont.-Subalp.	4	B	H	H
5600	<i>Adenostyles leucophylla</i> (Willd.) Rchb.	7-8	Alp.	4	B	H	
8500	<i>Agrostis canina</i> L.	6-8	Coll.-Mont.-(Subalp.)	4	B	H	
9000	<i>Agrostis schleicheri</i> Jord. & Verl.	7-9	(Coll.)-Mont.-(Subalp.)	4	B	H	
10600	<i>Alchemilla acuminatidens</i> Buser			4	B	H	H
10700	<i>Alchemilla acutidens</i> Buser			4	B	H	H
10800	<i>Alchemilla acutiloba</i> Opiz			4	B	H	H
10900	<i>Alchemilla aggregata</i> Buser			4	B	H	H
11000	<i>Alchemilla alpina</i> L.			4	B	H	H
11300	<i>Alchemilla amphisericea</i> Buser			4	B	H	H
11400	<i>Alchemilla angustifolia</i> Buser			4	B	H	H
11600	<i>Alchemilla atrovirens</i> Buser			4	B	H	H
11700	<i>Alchemilla chirophylla</i> Buser			4	B	H	H
11800	<i>Alchemilla colorata</i> Buser			4	B	H	H
12200	<i>Alchemilla connivens</i> Buser			4	B	H	H
12300	<i>Alchemilla controversa</i> Buser			4	B	H	H
12400	<i>Alchemilla coriacea</i> Buser			4	B	H	H
12700	<i>Alchemilla crinita</i> Buser			4	B	H	H
12800	<i>Alchemilla cuneata</i> aggr.			4	B	H	
12900	<i>Alchemilla curtiloba</i> Buser			4	B	H	H
12920	<i>Alchemilla cuspidens</i> Buser			4	B	H	
13000	<i>Alchemilla decumbens</i> Buser			4	B	H	H
13200	<i>Alchemilla demissa</i> Buser			4	B	H	
13400	<i>Alchemilla effusa</i> Buser			4	B	H	H
13500	<i>Alchemilla exigua</i> Buser			4	B	H	H
13600	<i>Alchemilla fallax</i> Buser			4	B	H	H
13700	<i>Alchemilla filicaulis</i> Buser			4	B	H	H
13900	<i>Alchemilla fissa</i> Günther & Schummel			4	B	H	H
14100	<i>Alchemilla fissimima</i> Buser			4	B	H	H
14200	<i>Alchemilla flabellata</i> Buser			4	B	H	H
14300	<i>Alchemilla flavicoma</i> Buser			4	B	H	H
14400	<i>Alchemilla flavovirens</i> Buser			4	B	H	
14500	<i>Alchemilla flexicaulis</i> Buser			4	B	H	H
14700	<i>Alchemilla frigens</i> Buser			4	B	H	H
14800	<i>Alchemilla gaillardiana</i> Buser			4	B	H	H
14900	<i>Alchemilla glabra</i> Neygenf.			4	B	H	H
15100	<i>Alchemilla glacialis</i> Buser			4	B	H	H
15200	<i>Alchemilla glomerulans</i> Buser			4	B	H	H
15280	<i>Alchemilla gracilis</i> Opiz			4	B	H	H
15300	<i>Alchemilla grossidens</i> Buser			4	B	H	
15500	<i>Alchemilla helvetica</i> Brügger			4	B	H	
15700	<i>Alchemilla heteropoda</i> Buser			4	B	H	H
15990	<i>Alchemilla hybrida</i> L.			4	B	H	
16200	<i>Alchemilla impexa</i> Buser			4	B	H	H
16300	<i>Alchemilla incisa</i> Buser			4	B	H	H
16400	<i>Alchemilla inconcinna</i> Buser			4	B	H	H
16500	<i>Alchemilla jaquetiana</i> Buser			4	B	H	H
16600	<i>Alchemilla leptoclados</i> Buser			4	B	H	H
16700	<i>Alchemilla lineata</i> Buser			4	B	H	H
16800	<i>Alchemilla longana</i> Buser			4	B	H	H
16900	<i>Alchemilla longiuscula</i> Buser			4	B	H	H
17100	<i>Alchemilla minor</i> Huds.			4	B	H	
17500	<i>Alchemilla nitida</i> Buser			4	B	H	H
17600	<i>Alchemilla obscura</i> Buser			4	B	H	H
17700	<i>Alchemilla obtusa</i> Buser			4	B	H	H
17800	<i>Alchemilla opaca</i> Buser			4	B	H	H
17900	<i>Alchemilla othmarii</i> Buser			4	B	H	H
18000	<i>Alchemilla pallens</i> Buser			4	B	H	H

ISFS		F	A	C	M	U	T
18300	<i>Alchemilla plicata</i> Buser			4	B	H	H
18400	<i>Alchemilla plicatula</i> Gand.			4	B	H	
18600	<i>Alchemilla pyrenaica</i> Dufour			4	B	H	H
18800	<i>Alchemilla reniformis</i> Buser			4	B	H	H
18900	<i>Alchemilla rhododendrophila</i> Buser			4	B	H	H
19000	<i>Alchemilla saxatilis</i> Buser			4	B	H	H
19100	<i>Alchemilla saxetana</i> Buser			4	B	H	H
19200	<i>Alchemilla schmidelyana</i> Buser			4	B	H	H
19300	<i>Alchemilla scintillans</i> Buser			4	B	H	
19400	<i>Alchemilla semisecta</i> Buser			4	B	H	H
19500	<i>Alchemilla sericoneura</i> Buser			4	B	H	H
19600	<i>Alchemilla sinuata</i> Buser			4	B	H	H
19800	<i>Alchemilla splendens</i> H. Christ			4	B	H	H
20000	<i>Alchemilla straminea</i> Buser			4	B	H	H
20100	<i>Alchemilla strigosula</i> Buser			4	B	H	H
20200	<i>Alchemilla subcrenata</i> Buser			4	B	H	H
20300	<i>Alchemilla subsericea</i> Reut.			4	B	H	H
20500	<i>Alchemilla tenuis</i> Buser			4	B	H	H
20600	<i>Alchemilla trunciloba</i> Buser			4	B	H	H
20700	<i>Alchemilla undulata</i> Buser			4	B	H	H
20800	<i>Alchemilla venosula</i> Buser			4	B	H	H
20900	<i>Alchemilla versipila</i> Buser			4	B	H	H
21300	<i>Alchemilla xanthochlora</i> Rothm.			4	B	H	H
25100	<i>Alnus brembana</i> Rota			4	B	H	H
900233	<i>Alnus viridis</i> (Chaix) DC. [s.str. prov.]			4	B	H	
30800	<i>Anchusa officinalis</i> L.	5-10	Coll.-Mont.-(Subalp.)	4	B	I	
31000	<i>Andromeda polifolia</i> L.	5-6	Coll.-Subalp.	4	B	m	
32200	<i>Androsace lactea</i> L.	6-8	(Mont.)-Subalp.	4	B	H	
32500	<i>Androsace puberula</i> Jord. & Fourr.			4	B	H	
32600	<i>Androsace pubescens</i> DC.	6-7	(Subalp.)-Alp.	4	B	H	
32900	<i>Androsace vandellii</i> (Turra) Chiov.	7-8	(Mont.)-Subalp.-Alp.	4	B	H	
33300	<i>Anemone baldensis</i> L.	7-8	(Subalp.)-Alp.	4	B	H	
39700	<i>Arabis bellidifolia</i> Crantz s.str.	6-8	(Mont.)-Subalp.-Alp.	4	B	H	H
39800	<i>Arabis bellidifolia</i> subsp. <i>stellulata</i> (Bertol.) Greuter & Burdet	6-8	(Mont.)-Subalp.-Alp.	4	B	H	H
41800	<i>Arabis serpillifolia</i> Vill.	6	Mont.-Alp.	4	B	H	
44100	<i>Arenaria marschlinii</i> W. D. J. Koch	7-8	Alp.	4	B	H	
44200	<i>Arenaria multicaulis</i> L.	7-8	(Subalp.)-Alp.	4	B	H	H
46750	<i>Artemisia campestris</i> L. s.str.			4	B	H	H
46760	<i>Artemisia campestris</i> subsp. <i>alpina</i> (DC.) Arcang.			4	B	H	H
49100	<i>Asperugo procumbens</i> L.	5-7	(Coll.)-Mont.-Subalp.	4	B	H	
53300	<i>Astragalus australis</i> (L.) Lam.	7-8	Subalp.-Alp.	4	B	H	
58400	<i>Barbarea stricta</i> Andrz.	5-6	Coll.-Mont.-(Subalp.-Alp.)	4	B	I	H
64100	<i>Brachypodium rupestre</i> (Host) Roem. & Schult.	6-7	Coll.-Mont.-(Subalp.)	4	B	H	
65300	<i>Bromus arvensis</i> L.	6-7	Coll.-Mont.-(Subalp.)	4	B	I	H
69200	<i>Bupleurum falcatum</i> subsp. <i>cernuum</i> (Ten.) Arcang.	7-8	Mont.	4	B	H	H
70500	<i>Buxus sempervirens</i> L.	3-4	Coll.-Mont.	4	B	H	
71300	<i>Calamagrostis stricta</i> (Timm) Koeler	7-8	Coll.-Mont.	4	B	H	H
73100	<i>Callitriche hamulata</i> W. D. J. Koch	5-9	Coll.-Mont.-(Subalp.)	4	B	m	H
73300	<i>Callitriche palustris</i> L.	5-9	(Coll.)-Mont.-Alp.	4	B	m	H
73400	<i>Callitriche platycarpa</i> Kütz.			4	B	m	H
73500	<i>Callitriche stagnalis</i> Scop.	5-9	Coll.-(Mont.)	4	B	m	H
75500	<i>Campanula excisa</i> Murith	7-8	(Mont.)-Subalp.-Alp.	4	B	H	
75900	<i>Campanula glomerata</i> subsp. <i>farinosa</i> (Andrz.) Kirschl.	7-9	Coll.-Mont.-(Subalp.)	4	B	H	
76000	<i>Campanula latifolia</i> L.	7-8	Mont.-(Subalp.)	4	B	H	
76400	<i>Campanula patula</i> subsp. <i>costae</i> (Willk.) Nyman	6-8	Coll.-Mont.	4	B	I	
78360	<i>Cardamine amara</i> subsp. <i>austriaca</i> Marhold			4	B	T	H
79100	<i>Cardamine kitaibelii</i> Bech.	4-5	Coll.-Mont.-(Subalp.)	4	B	H	
80400	<i>Cardamine rivularis</i> Schur	6-7	(Mont.)-Subalp.-(Alp.)	4	B	T	H
80600	<i>Cardamine udicola</i> Jord.			4	B	T	H
81500	<i>Carduus crispus</i> L.	7-9	Coll.-Mont.-(Subalp.)	4	B	I	
81700	<i>Carduus defloratus</i> subsp. <i>crassifolius</i> (Willd.) Hayek	6-8	Coll.-Subalp.	4	B	H	
81900	<i>Carduus defloratus</i> subsp. <i>tridentinus</i> (Evers) Murr	6-8	Coll.-Subalp.-(Alp.)	4	B	H	
82300	<i>Carduus nutans</i> subsp. <i>platylepis</i> (Rchb. & Saut.) Nyman	6-8	Coll.-Subalp.	4	B	I	
82850	<i>Carex acuta</i> L.			4	B	m	H
83200	<i>Carex appropinquata</i> Schumach.	5-6	Coll.-Mont.	4	B	H	
83400	<i>Carex atrata</i> L. s.str.	7-8	Subalp.-Alp.	4	B	H	
83500	<i>Carex atrata</i> subsp. <i>aterrima</i> (Hoppe) Hartm.	6-8	Mont.-Alp.	4	B	H	
84400	<i>Carex brunnescens</i> (Pers.) Poir.	7	Subalp.-(Alp.)	4	B	H	
85500	<i>Carex curvula</i> subsp. <i>rosae</i> Gilomen	7-8	(Subalp.)-Alp.	4	B	H	

ISFS		F	A	C	M	U	T
85800	Carex demissa Hornem.	5-7	Coll.-Mont.-(Subalp.)	4	B	H	H
86200	Carex dioica L.	4-7	Coll.-Subalp.	4	B	T	
86400	Carex disticha Huds.	5	Coll.-Mont.	4	B	m	
86500	Carex divulsa Stokes	6-8	Coll.	4	B	H	H
89600	Carex limosa L.	5-7	Coll.-Subalp.	4	B	m	
90400	Carex mucronata All.	5-7	Mont.-Subalp.-(Alp.)	4	B	H	
91300	Carex ornithopodioides Hausm.	7	Subalp.-Alp.	4	B	H	
92100	Carex pauciflora Lightf.	5-6	(Coll.-Mont.)-Subalp.	4	B	T	
92200	Carex paupercula Michx.	7-8	(Mont.)-Subalp.-(Alp.)	4	B	m	
93200	Carex punctata Gaudin	5-6	Coll.-Mont.	4	B	H	
93250	Carex randalpina B. Walln.			4	B	m	H
93800	Carex rupestris All.	7-8	(Subalp.)-Alp.	4	B	H	
94500	Carex strigosa Huds.	5-6	Coll.-Mont.	4	B	H	
96250	Carlina biebersteinii subsp. brevibracteata (Andrae) K. Werner			4	B	I	H
100100	Centaurea scabiosa subsp. alpestris (Hegetschw.) Nyman	7-8	(Mont.)-Subalp.-(Alp.)	4	B	H	
102300	Cerastium alpinum L.	7-9	(Subalp.)-Alp.	4	B	H	
103600	Cerastium fontanum Baumg. s.str.	7-8	(Subalp.)-Alp.	4	B	H	H
103700	Cerastium fontanum subsp. lucorum (Schur) Soó	4-6	Coll.-Subalp.	4	B	H	H
104000	Cerastium glutinosum Fr.	4-6	Coll.-(Mont.)	4	B	I	H
108900	Chenopodium ficifolium Sm.	7-9	Coll.	4	B	I	D
109800	Chenopodium rubrum L.	7-9	Coll.-Mont.	4	B	I	D
113600	Circaea x intermedia Ehrh.	6-9	Coll.-Mont.	4	B	T	
114200	Cirsium eriophorum subsp. spathulatum (Moretti) Ces.	7-9	Mont.-Subalp.	4	B	I	H
115700	Cladium mariscus (L.) Pohl	6-7	Coll.-Mont.	4	B	m	
116000	Clematis alpina (L.) Mill.	5-7	(Mont.)-Subalp.	4	B	H	
121200	Corydalis intermedia (L.) Mérat	3-5	(Coll.-Mont.)-Subalp.	4	B	H	
121500	Corydalis solida (L.) Clairv.	3-6	Coll.-Subalp.	4	B	H	
122300	Crataegus lindmanii Hrabetova			4	B	H	H
122700	Crataegus rhipidophylla Gand.			4	B	H	H
124700	Crepis pygmaea L.	7-8	(Subalp.)-Alp.	4	B	H	
125500	Crepis terglouensis (Hacq.) A. Kern.	7-8	Alp.	4	B	H	
127900	Cuscuta europaea L.	6-8	Coll.-Mont.-(Subalp.)	4	B	T	
131300	Cytisus nigricans L.	6-7	Coll.-Mont.	4	B	H	
131500	Cytisus scoparius (L.) Link	5-6	Coll.-Mont.	4	B	H	
135700	Dianthus carthusianorum subsp. vaginatus (Chaix) Schinz & R. Keller	7-8	Coll.-Subalp.-(Alp.)	4	B	H	H
136700	Dianthus seguieri Vill.	6-8	Coll.-Subalp.	4	B	H	
138150	Diphasiastrum x oellgaardii Stoor & al.			4	B	H	T
138900	Diploxys muralis (L.) DC.	6-8	Coll.-(Mont.)	4	B	I	
140800	Draba fladnizensis Wulfen	7-8	Alp.	4	B	H	
140900	Draba hoppeana Rchb.	7-8	Alp.	4	B	H	
141400	Draba siliquosa M. Bieb.	7-8	(Subalp.)-Alp.	4	B	H	
141600	Draba tomentosa Clairv.	7-8	Alp.	4	B	H	
143700	Dryopteris remota (Döll) Druce	7-8	Coll.-Mont.	4	B	H	H
148700	Epilobium nutans F. W. Schmidt	7-8	(Mont.)-Subalp.-Alp.	4	B	T	
149650	Epipactis distans Arv.-Touv.			4	B	H	D
150150	Epipactis muelleri Godfery	6-8	Coll.-Mont.	4	B	H	D
151300	Equisetum ramosissimum Desf.	6-7	Coll.-Mont.	4	B	T	
153000	Erigeron acer subsp. angulosus (Gaudin) Vacc.	7-9	(Coll.)-Mont.-Subalp.	4	B	I	H
153100	Erigeron acer subsp. politus (Fr.) H. Lindb.	7-9	(Coll.)-Mont.-Subalp.	4	B	I	H
154200	Erigeron atticus Vill.	7-9	Subalp.-(Alp.)	4	B	H	H
154400	Erigeron gaudinii Brügger	7-8	(Coll.-Mont.)-Subalp.-(Alp.)	4	B	H	H
154700	Erigeron neglectus A. Kern.	7-8	(Subalp.)-Alp.	4	B	H	H
159100	Euonymus latifolius (L.) Mill.	5-6	Coll.-Mont.-(Subalp.)	4	B	H	
162000	Euphrasia alpina Lam.	7-9	(Subalp.)-Alp.	4	B	I	
163000	Euphrasia nemorosa (Pers.) Wallr.	7-9	Coll.-Mont.	4	B	I	H
163100	Euphrasia pectinata Ten.	5-9	Coll.-Subalp.	4	B	I	H
163200	Euphrasia picta Wimm. s.str.	6-9	(Coll.)-Mont.-Alp.	4	B	I	H
163700	Euphrasia rostkoviana subsp. campestris (Jord.) Wettst.	7-10	Coll.-Subalp.	4	B	I	H
165400	Festuca acuminata Gaudin			4	B	H	H
165450	Festuca airoides Lam.			4	B	H	H
165700	Festuca alpina Suter	7-8	(Subalp.)-Alp.	4	B	H	H
165900	Festuca amethystina L.	6-7	Coll.-Mont.-(Subalp.)	4	B	H	H
166550	Festuca brevipila R. Tracey			4	B	H	H
167250	Festuca filiformis Pourr.			4	B	H	H
167500	Festuca guestfalica Boenn.			4	B	H	H
167600	Festuca halleri All.	7-8	Subalp.-Alp.	4	B	H	H
167770	Festuca heteromalla Pourr.			4	B	m	H
167800	Festuca heteropachys (St.-Yves) Auquier			4	B	H	H
168000	Festuca intercedens (Hack.) Lüdi			4	B	H	H

ISFS		F	A	C	M	U	T
168160	<i>Festuca laevigata</i> Gaudin s.str.			4	B	H	H
168170	<i>Festuca laevigata</i> subsp. <i>crassifolia</i> (Gaudin) Kerguelén & Plonka			4	B	H	H
168180	<i>Festuca lemanii</i> Bastard			4	B	H	H
168250	<i>Festuca melanopsis</i> Foggi & al.			4	B	H	H
168800	<i>Festuca pallens</i> Host			4	B	H	H
169000	<i>Festuca paniculata</i> (L.) Schinz & Thell.	6-7	Subalp.	4	B	H	H
169300	<i>Festuca pratensis</i> subsp. <i>apennina</i> (De Not.) Hegi			4	B	H	H
169400	<i>Festuca pseudodura</i> Steud.			4	B	H	H
169700	<i>Festuca pulchella</i> Schrad. s.str.			4	B	H	H
169800	<i>Festuca pulchella</i> subsp. <i>jurana</i> (Gren.) Markgr.-Dann.			4	B	H	H
170250	<i>Festuca rubra</i> L. s.str.			4	B	m	H
170300	<i>Festuca rubra</i> subsp. <i>junceae</i> (Hack.) K. Richt.			4	B	m	H
170400	<i>Festuca rupicaprina</i> (Hack.) A. Kern.	7-8	Subalp.-Alp.	4	B	H	H
170500	<i>Festuca rupicola</i> Heuff.			4	B	H	H
170700	<i>Festuca scabriculum</i> subsp. <i>luedii</i> Markgr.-Dann.			4	B	H	H
171550	<i>Festuca trichophylla</i> (Gaudin) K. Richt. s.str.			4	B	m	H
171560	<i>Festuca trichophylla</i> subsp. <i>asperifolia</i> (St.-Yves) Al-Bermani			4	B	m	H
171600	<i>Festuca valesiaca</i> Gaudin			4	B	H	H
172000	<i>Festuca violacea</i> Gaudin	7-8	Subalp.-Alp.	4	B	H	H
172150	<i>Festuca vivipara</i> (L.) Sm.			4	B	H	H
173900	<i>Fragaria viridis</i> Duchesne	5	Coll.-Mont.	4	B	H	H
176800	<i>Galeopsis pubescens</i> Besser	7-9	Coll.-Mont.	4	B	I	
177700	<i>Galium aristatum</i> L.	6-8	Mont.	4	B	H	H
178600	<i>Galium laevigatum</i> L.	6-8	Coll.-Mont.	4	B	H	H
181100	<i>Galium verum</i> subsp. <i>wirtgenii</i> (F. W. Schultz) Oborny	5-6	Coll.-Mont.-(Subalp.)	4	B	T	D
182800	<i>Gentiana aspera</i> Hegetschw.	6-9	Subalp.-(Alp.)	4	B	I	H
183700	<i>Gentiana engadinensis</i> (Wettst.) Braun-Blanq. & Sam.	7-8	(Subalp.)-Alp.	4	B	I	H
183810	<i>Gentiana germanica</i> subsp. <i>rhaetica</i> (A. & Jos. Kern.) Hayek			4	B	I	H
183815	<i>Gentiana germanica</i> subsp. <i>solstitialis</i> (Wettst.) Vollm.			4	B	I	H
188200	<i>Geranium phaeum</i> var. <i>lividum</i> (L'Hér.) DC.			4	B	H	
188700	<i>Geranium rivulare</i> Vill.	7-8	(Mont.)-Subalp.-(Alp.)	4	B	H	
190700	<i>Glechoma hederacea</i> subsp. <i>hirsuta</i> (Waldst. & Kit.) Gams	4-5	Coll.	4	B	m	
195000	<i>Helianthemum nummularium</i> subsp. <i>glabrum</i> (W. D. J. Koch) Wilczek	5-8	Coll.-Subalp.	4	B	H	H
195300	<i>Helianthemum nummularium</i> subsp. <i>tomentosum</i> (Scop.) Schinz & Thell.	5-8	Mont.-Alp.	4	B	H	H
199200	<i>Herniaria alpina</i> Chaix	7-8	(Subalp.)-Alp.	4	B	H	
200500	<i>Hieracium bifidum</i> Hornem.			4	B	H	H
200750	<i>Hieracium caesium</i> aggr.			4	B	H	H
200900	<i>Hieracium comatum</i> Jord.			4	B	H	H
201200	<i>Hieracium glanduliferum</i> Hoppe			4	B	H	H
201400	<i>Hieracium glaucinum</i> Jord.			4	B	H	H
201600	<i>Hieracium glaucum</i> All.	7-9	(Coll.)-Mont.-Subalp.	4	B	H	H
202200	<i>Hieracium laevigatum</i> Willd.			4	B	H	H
203000	<i>Hieracium pictum</i> Pers.	6-7	Coll.-Mont.-(Subalp.)	4	B	H	H
203105	<i>Hieracium piliferum</i> Hoppe s.str.			4	B	H	H
204000	<i>Hieracium racemosum</i> Willd.			4	B	H	H
204200	<i>Hieracium rupicola</i> Fr.			4	B	H	H
204300	<i>Hieracium sabaudum</i> L.			4	B	H	H
204500	<i>Hieracium saussureoides</i> (Arv.-Touv.) Arv.-Touv.	6-8	Coll.-Subalp.	4	B	H	H
204600	<i>Hieracium schmidtii</i> Tausch			4	B	H	H
205400	<i>Hieracium tenuiflorum</i> Arv.-Touv.			4	B	H	H
205500	<i>Hieracium tomentosum</i> L.	6-7	Coll.-Subalp.	4	B	H	
207200	<i>Holosteum umbellatum</i> L.	3-5	Coll.-(Mont.-Subalp.)	4	B	I	
210800	<i>Hypericum maculatum</i> subsp. <i>obtusiusculum</i> (Tourlet) Hayek	6-8	Coll.-Mont.	4	B	H	H
211200	<i>Hypericum perforatum</i> subsp. <i>veronense</i> (Schrank) Ces.	6-9	Coll.	4	B	H	H
217600	<i>Juncus acutiflorus</i> Hoffm.	7-8	Coll.-Mont.	4	B	m	
219300	<i>Juncus monanthos</i> Jacq.	7-8	Subalp.-Alp.	4	B	H	
220800	<i>Juniperus sabina</i> L.	4-5	Coll.-Subalp.-(Alp.)	4	B	H	
221600	<i>Knautia dipsacifolia</i> subsp. <i>sixtina</i> (Briq.) Ehrend.	7-9	Mont.-Subalp.	4	B	H	H
221700	<i>Knautia drymeia</i> Heuff.			4	B	H	H
222700	<i>Kobresia simpliciuscula</i> (Wahlenb.) Mack.	7-8	(Mont.)-Subalp.-Alp.	4	B	H	
223300	<i>Koeleria eriostachya</i> Pancic	7-8	Mont.-Subalp.	4	B	H	H
223500	<i>Koeleria hirsuta</i> Gaudin	7-8	Subalp.-Alp.	4	B	H	
225900	<i>Lamium galeobdolon</i> subsp. <i>flavidum</i> (F. Herm.) Á. & D. Löve	5-7	Coll.-Subalp.	4	B	H	
226800	<i>Lappula squarrosa</i> (Retz.) Dumort.	6-9	Coll.-Subalp.	4	B	H	
233200	<i>Leontodon hispidus</i> subsp. <i>danubialis</i> (Jacq.) Simonk.			4	B	H	H
233400	<i>Leontodon hispidus</i> subsp. <i>hyoseroides</i> (Rchb.) Murr			4	B	H	H
233500	<i>Leontodon hispidus</i> subsp. <i>opimus</i> (W. D. J. Koch) Finch & P. D. Sell			4	B	H	H
233600	<i>Leontodon hispidus</i> subsp. <i>pseudocrispus</i> (Bisch.) Murr			4	B	H	H
233800	<i>Leontodon incanus</i> (L.) Schrank s.str.	6-7	Coll.-Subalp.	4	B	H	

ISFS		F	A	C	M	U	T
900257	<i>Leucanthemopsis alpina</i> (L.) Heywood [s.str. prov.]			4	B	H	H
236100	<i>Leucanthemopsis minima</i> (Vill.) Marchi			4	B	H	
236400	<i>Leucanthemum gaudinii</i> Dalla Torre			4	B	H	H
236500	<i>Leucanthemum halleri</i> (Vitman) Ducommun	7-8	(Subalp.)-Alp.	4	B	H	
240600	<i>Linnaea borealis</i> L.	7	(Mont.)-Subalp.	4	B	T	
245900	<i>Luzula alpina</i> Hoppe	6-8	Subalp.-Alp.	4	B	H	H
246900	<i>Luzula luzuloides</i> (Lam.) Dandy & Wilmott s.str.	6-7	Coll.-Mont.	4	B	H	H
247050	<i>Luzula luzuloides</i> subsp. <i>rubella</i> (Mert. & W. D. J. Koch) Holub	6-7	(Mont.)-Subalp.	4	B	H	H
247900	<i>Luzula spicata</i> (L.) DC. s.str.	7-8	(Subalp.)-Alp.	4	B	H	H
248000	<i>Luzula spicata</i> subsp. <i>mutabilis</i> Chrtek & Krísa	7-8	(Mont.-Subalp.)-Alp.	4	B	H	H
248100	<i>Luzula sudetica</i> (Willd.) Schult.	6-8	Mont.-Subalp.	4	B	H	H
249950	<i>Lycopodium clavatum</i> L. s.str.			4	B	T	D
250000	<i>Lycopodium clavatum</i> subsp. <i>monostachyon</i> (Grev. & Hook.) Selander			4	B	T	D
260300	<i>Minuartia biflora</i> (L.) Schinz & Thell.	7-8	Alp.	4	B	H	
261600	<i>Minuartia rupestris</i> (Scop.) Schinz & Thell.	7-8	(Subalp.)-Alp.	4	B	H	
263800	<i>Monotropa hypophegea</i> Wallr.			4	B	T	H
268000	<i>Myrrhis odorata</i> (L.) Scop.	6-7	Coll.-Subalp.	4	B	H	
271660	<i>Nigritella rhellicani</i> Teppner & E. Klein			4	B	I	T
276500	<i>Ononis rotundifolia</i> L.	5-7	Coll.-Mont.-(Subalp.)	4	B	I	
276800	<i>Ononis spinosa</i> subsp. <i>austriaca</i> (Beck) Gams	6-9	Coll.-Mont.	4	B	H	
284000	<i>Orobanche alba</i> Willd.	6-7	Coll.-Subalp.	4	B	T	H
285000	<i>Orobanche flava</i> F. W. Schultz	6-8	(Coll.)-Mont.-(Subalp.)	4	B	T	H
285400	<i>Orobanche laserpitii-sileris</i> Jord.	7	Coll.-Subalp.	4	B	T	H
286300	<i>Orobanche rapum-genistae</i> Thuill.	5-6	Coll.-Mont.-(Subalp.)	4	B	T	
287100	<i>Ostrya carpinifolia</i> Scop.	4-5	Coll.-Mont.	4	B	I	
288800	<i>Oxytropis halleri</i> W. D. J. Koch s.str.	6-8	(Mont.)-Subalp.-Alp.	4	B	H	
290900	<i>Papaver aurantiacum</i> Loisel.	7-8	Alp.	4	B	H	
292300	<i>Parietaria judaica</i> L.	5-8	Coll.-(Mont.)	4	B	H	
293400	<i>Pastinaca sativa</i> subsp. <i>sylvestris</i> (Mill.) Rouy & E. G. Camus	6-9	Coll.-Mont.	4	B	I	H
293500	<i>Pastinaca sativa</i> subsp. <i>urens</i> (Godr.) Celak.	7-9	Coll.-Mont.	4	B	I	
294500	<i>Pedicularis oederi</i> Hornem.	6-8	(Subalp.)-Alp.	4	B	H	
295200	<i>Pedicularis rostratospicata</i> subsp. <i>helvetica</i> (Steininger) O. Schwarz			4	B	H	D
296750	<i>Peucedanum austriacum</i> (Jacq.) W. D. J. Koch s.str.			4	B	H	
297700	<i>Peucedanum verticillare</i> (L.) Mert. & W. D. J. Koch	7-8	Coll.-Mont.-(Subalp.)	4	B	I	
900261	<i>Phalaris arundinacea</i> L. [s.str. prov.]			4	B	m	H
299300	<i>Phleum bertolonii</i> DC.	6-8	Coll.-Mont.-(Subalp.)	4	B	m	
301100	<i>Phyteuma globulariifolium</i> Sternb. & Hoppe s.str.			4	B	H	
301200	<i>Phyteuma globulariifolium</i> subsp. <i>pedemontanum</i> (Rich. Schulz) Bech.			4	B	H	
900262	<i>Phyteuma scheuchzeri</i> All. [s.str. prov.]			4	B	H	H
302500	<i>Phyteuma spicatum</i> subsp. <i>coeruleum</i> Rich. Schulz			4	B	H	H
303400	<i>Picris hieracioides</i> subsp. <i>villarsii</i> (Jord.) Nyman	7-10	Mont.-Subalp.	4	B	H	H
303700	<i>Pimpinella alpina</i> Host			4	B	H	
303900	<i>Pimpinella nigra</i> Mill.			4	B	H	
305500	<i>Pinus mugo</i> Turra s.str.	6-7	(Mont.)-Subalp.	4	B	I	
308000	<i>Plantago major</i> subsp. <i>intermedia</i> (Gilib.) Lange	6-10	Coll.-Mont.	4	B	H	
308900	<i>Pleurospermum austriacum</i> (L.) Hoffm.	7-8	(Coll.)-Mont.-Subalp.	4	B	I	
310000	<i>Poa glauca</i> Vahl	6-7	(Subalp.)-Alp.	4	B	H	
310100	<i>Poa hybrida</i> Gaudin	7-8	(Mont.)-Subalp.	4	B	H	
312400	<i>Polygala alpina</i> (DC.) Steud.	6-8	(Subalp.)-Alp.	4	B	H	
312450	<i>Polygala amara</i> L.			4	B	H	H
313100	<i>Polygala serpyllifolia</i> Hosé	5-6-(9)	(Coll.)-Mont.-(Subalp.)	4	B	H	
314100	<i>Polygonum arenastrum</i> Boreau			4	B	I	H
315300	<i>Polygonum minus</i> Huds.	7-10	Coll.-Mont.	4	B	I	
316600	<i>Polystichum braunii</i> (Spenn.) Fée	7-9	Mont.-Subalp.	4	B	H	H
316900	<i>Polystichum setiferum</i> (Forssk.) Woytn.	6-8	Coll.-Mont.	4	B	H	H
318100	<i>Potamogeton alpinus</i> Balb.	6-8	(Coll.)-Mont.-Subalp.	4	B	m	H
321600	<i>Potentilla caulescens</i> L.	6-8	Coll.-Subalp.-(Alp.)	4	B	H	
326900	<i>Primula latifolia</i> Lapeyr.	6-7	(Subalp.)-Alp.	4	B	H	
327800	<i>Pritzelago alpina</i> subsp. <i>brevicaulis</i> (Spreng.) Greuter & Burdet	6-7	Subalp.-Alp.	4	B	H	
329900	<i>Prunus padus</i> subsp. <i>petraea</i> (Tausch) Domin	4-6	Coll.-Mont.-(Subalp.)	4	B	H	D
331600	<i>Pulmonaria collina</i> W. Sauer			4	B	H	
332400	<i>Pulmonaria mollis</i> subsp. <i>alpigena</i> W. Sauer			4	B	H	H
332900	<i>Pulmonaria officinalis</i> L.	3-5	Coll.-Mont.-(Subalp.)	4	B	H	
334500	<i>Pyrola media</i> Sw.	6-8	(Coll.-Mont.)-Subalp.	4	B	T	H
336750	<i>Ranunculus allemannii</i> Braun-Blanq.			4	B	H	H
337200	<i>Ranunculus auricomus</i> L.			4	B	H	H
337600	<i>Ranunculus breyninus</i> Crantz	5-7	(Mont.)-Subalp.-Alp.	4	B	H	H
337800	<i>Ranunculus carinthiacus</i> Hoppe	5-7	Mont.-Alp.	4	B	H	H
337900	<i>Ranunculus cassubicus</i> L.			4	B	H	H

ISFS		F	A	C	M	U	T
338500	<i>Ranunculus fluitans</i> Lam.	6-8	Coll.-(Mont.)	4	B	m	H
339050	<i>Ranunculus helveticus</i> Brodtb.			4	B	H	H
339900	<i>Ranunculus parnassiifolius</i> L.	7	Alp.	4	B	H	
340100	<i>Ranunculus penicillatus</i> (Dumort.) Bab.	4-7	Coll.	4	B	m	H
340500	<i>Ranunculus polyanthemophyllus</i> W. Koch & H. E. Hess	5-7	Coll.-Mont.	4	B	H	H
345200	<i>Rhodiola rosea</i> L.	6-8	Subalp.-Alp.	4	B	H	
345800	<i>Rhynchospora alba</i> (L.) Vahl	6-8	Coll.-Mont.-(Subalp.)	4	B	H	
347400	<i>Rosa abietina</i> H. Christ	6-7	(Coll.)-Mont.-Subalp.	4	B	H	H
347500	<i>Rosa agrestis</i> Savi	6-7	Coll.-Mont.	4	B	H	H
347650	<i>Rosa caesia</i> Sm.			4	B	H	H
348350	<i>Rosa dumalis</i> Bechst.			4	B	H	H
348900	<i>Rosa majalis</i> Herrm.	5-7	Coll.-Mont.-(Subalp.)	4	B	H	H
349000	<i>Rosa micrantha</i> Sm.	6	Coll.-Mont.	4	B	H	H
349200	<i>Rosa montana</i> Chaix	6-7	Coll.-Mont.-(Subalp.)	4	B	H	H
350400	<i>Rosa subcanina</i> (H. Christ) R. Keller			4	B	H	H
350500	<i>Rosa subcollina</i> (H. Christ) R. Keller			4	B	H	H
350550	<i>Rosa tomentella</i> Léman	6	Coll.-Subalp.	4	B	H	H
350700	<i>Rosa uriensis</i> (H. Christ) Puget			4	B	H	H
350800	<i>Rosa villosa</i> L.	6	Mont.-Subalp.	4	B	H	H
352400	<i>Rubus canescens</i> DC.			4	B	m	H
352500	<i>Rubus conspicuus</i> P. J. Müll.			4	B	m	H
352600	<i>Rubus constrictus</i> auct.			4	B	m	H
352800	<i>Rubus distractus</i> Wirtg.			4	B	m	H
353000	<i>Rubus foliosus</i> Weihe			4	B	m	H
354200	<i>Rubus hirtus</i> Waldst. & Kit.			4	B	m	H
355100	<i>Rubus macrophyllus</i> Weihe & Nees			4	B	m	H
355300	<i>Rubus mercieri</i> Genev.			4	B	m	H
355500	<i>Rubus montanus</i> Lej.			4	B	m	H
355700	<i>Rubus nessensis</i> Hall			4	B	m	H
356000	<i>Rubus obtusangulus</i> Gremlt			4	B	m	H
356100	<i>Rubus pedemontanus</i> Pinkw.			4	B	m	H
356600	<i>Rubus praecox</i> Bertol.			4	B	m	H
356900	<i>Rubus radula</i> Weihe			4	B	m	H
357300	<i>Rubus rudis</i> Weihe			4	B	m	H
358000	<i>Rubus sulcatus</i> Vest			4	B	m	H
358100	<i>Rubus tereticaulis</i> P. J. Müll.			4	B	m	H
358600	<i>Rubus vestitus</i> Weihe			4	B	m	H
359200	<i>Rumex acetosella</i> subsp. <i>pyrenaicus</i> (Lapeyr.) Akeroyd			4	B	H	H
360300	<i>Rumex nivalis</i> Hegetschw.	7-8	Alp.	4	B	H	
361600	<i>Sagina apetala</i> subsp. <i>erecta</i> F. Herm.	5-9	Coll.-Mont.	4	B	I	H
363500	<i>Salix breviserrata</i> Flod.	6-7	Subalp.-Alp.	4	B	H	H
365850	<i>Salix purpurea</i> L. s.str.			4	B	H	H
365900	<i>Salix purpurea</i> subsp. <i>gracilis</i> (Wimm.) Buser			4	B	H	H
366000	<i>Salix repens</i> L.	4-6	Coll.-Mont.-(Subalp.)	4	B	T	H
366600	<i>Salix waldsteiniana</i> Willd.	6	Subalp.	4	B	H	H
371500	<i>Saxifraga adscendens</i> L.	7-8	Subalp.-Alp.	4	B	I	
371900	<i>Saxifraga aphylla</i> Sternb.	7-8	(Subalp.)-Alp.	4	B	H	
372200	<i>Saxifraga biflora</i> subsp. <i>macropetala</i> (Engl.) Rouy & E. G. Camus	7-8	(Subalp.)-Alp.	4	B	H	H
373300	<i>Saxifraga exarata</i> subsp. <i>pseudoexarata</i> (Braun-Blanq.) D. A. Webb			4	B	H	H
374400	<i>Saxifraga mutata</i> L.	6-7	Coll.-Subalp.	4	B	H	
376700	<i>Scabiosa columbaria</i> subsp. <i>portae</i> (Huter) Hayek	6-9	Coll.-(Mont.)	4	B	H	H
379000	<i>Schoenus ferrugineus</i> L.	5-7	Coll.-Mont.-(Subalp.)	4	B	H	
382400	<i>Scutellaria alpina</i> L.	6-9	(Mont.)-Subalp.-(Alp.)	4	B	H	
383400	<i>Sedum anacampseros</i> L.	7-9	Subalp.-Alp.	4	B	H	
383800	<i>Sedum cepaea</i> L.	6	Coll.	4	B	I	
387300	<i>Sempervivum tectorum</i> subsp. <i>alpinum</i> (Griseb. & Schenk) Arcang.	7-9	(Coll.)-Mont.-Alp.	4	B	H	H
387400	<i>Sempervivum wulfenii</i> Mert. & W. D. J. Koch	7-9	Subalp.-Alp.	4	B	H	
387700	<i>Senecio aquaticus</i> Hill	7-9	Coll.-(Mont.)	4	B	H	
389100	<i>Senecio incanus</i> L. s.str.	7-8	(Subalp.)-Alp.	4	B	H	
389200	<i>Senecio incanus</i> subsp. <i>carniolicus</i> (Willd.) Braun-Blanq.	7-8	(Subalp.)-Alp.	4	B	H	
389900	<i>Senecio paludosus</i> L.	6-7	Coll.-(Mont.)	4	B	T	
391000	<i>Serratula tinctoria</i> L. s.str.	7-9	Coll.-Mont.	4	B	H	
396600	<i>Silene pusilla</i> Waldst. & Kit.	7	(Coll.-Mont.)-Subalp.	4	B	H	
397000	<i>Silene suecica</i> (Lodd.) Greuter & Burdet	7-8	Alp.	4	B	H	
397400	<i>Silene vulgaris</i> subsp. <i>glareosa</i> (Jord.) Marsden-Jones & Turrill	6-9	Coll.-Alp.	4	B	H	H
397600	<i>Silene vulgaris</i> subsp. <i>prostrata</i> (Gaudin) Schinz & Thell.	7-9	Subalp.-Alp.	4	B	H	H
406200	<i>Stachys officinalis</i> subsp. <i>serotina</i> (Host) Hayek	8-9	Coll.-Mont.	4	B	H	D
408000	<i>Stellaria neglecta</i> Weihe	4-7	Coll.	4	B	H	H
408250	<i>Stellaria nemorum</i> subsp. <i>montana</i> (Pierrat) Berher	6-8	Coll.-Mont.	4	B	H	

ISFS		F	A	C	M	U	T
408700	<i>Stemmacantha rhapontica</i> (L.) Dittrich s.str.	7-8	Subalp.-(Alp.)	4	B	H	T
408800	<i>Stemmacantha rhapontica</i> subsp. <i>lamarckii</i> Dittrich	7-8	Subalp.-(Alp.)	4	B	H	T
409200	<i>Stipa eriocalis</i> subsp. <i>austriaca</i> (Beck) Martinovsky			4	B	H	H
412500	<i>Taraxacum cucullatum</i> aggr.	6-8	Subalp.-Alp.	4	B	H	H
413300	<i>Taraxacum palustre</i> (Lyons) Symons			4	B	H	H
413500	<i>Taraxacum schroeterianum</i> Hand.-Mazz.	7-8	Subalp.-Alp.	4	B	H	H
416300	<i>Thalictrum minus</i> subsp. <i>saxatile</i> Ces.	6-7	Coll.-Subalp.	4	B	H	T
418300	<i>Thlaspi brachypetalum</i> Jord.	4-6	(Mont.)-Subalp.-(Alp.)	4	B	I	
420400	<i>Thymus longicaulis</i> C. Presl	4-8	Coll.-Mont.	4	B	m	H
420500	<i>Thymus oenipontanus</i> Heinr. Braun	5-8	Coll.-Mont.	4	B	m	H
420800	<i>Thymus praecox</i> Opiz s.str.	4-8	Coll.-Mont.-(Subalp.)	4	B	m	H
421100	<i>Thymus pulegioides</i> subsp. <i>carniolicus</i> (Borbás) P. A. Schmidt	4-8	Coll.-Subalp.	4	B	H	H
421700	<i>Tofieldia pusilla</i> (Michx.) Pers.	7-8	Subalp.-Alp.	4	B	H	
423800	<i>Trichophorum alpinum</i> (L.) Pers.	4-5	Coll.-Subalp.	4	B	m	
900274	<i>Trichophorum cespitosum</i> (L.) Hartm. [s.str. prov.]			4	B	m	H
424100	<i>Trichophorum pumilum</i> (Vahl) Schinz & Thell.	7	Subalp.	4	B	m	
427300	<i>Trifolium repens</i> subsp. <i>prostratum</i> Nyman	5-9	Coll.-Mont.	4	B	T	H
433500	<i>Urtica urens</i> L.	6-9	Coll.-Mont.-(Subalp.)	4	B	I	
434900	<i>Vaccinium oxycoccos</i> L.	5-7	Coll.-Mont.	4	B	m	
436600	<i>Valeriana supina</i> Ard.	7-8	(Subalp.)-Alp.	4	B	H	
436900	<i>Valeriana versifolia</i> Brügger	5-6	Mont.-Subalp.	4	B	T	H
439850	<i>Verbascum thapsus</i> subsp. <i>montanum</i> (Schrad.) Bonnier & Layens	6-9	Mont.-Subalp.	4	B	I	
442100	<i>Veronica hederifolia</i> subsp. <i>lucorum</i> (Klett & Richt.) Hartl	3-5	Coll.-Mont.-(Subalp.)	4	B	I	H
443500	<i>Veronica serpyllifolia</i> subsp. <i>humifusa</i> (Dicks.) Syme	7-8	(Mont.)-Subalp.-(Alp.)	4	B	H	
445100	<i>Vicia cracca</i> subsp. <i>incana</i> (Gouan) Rouy	6-8	Coll.-Mont.-(Subalp.)	4	B	H	
449400	<i>Viola canina</i> subsp. <i>montana</i> (L.) Hartm.	5	Coll.-Subalp.	4	B	H	H
449600	<i>Viola canina</i> subsp. <i>schultzii</i> (Billot) Rouy & Foucaud	5-6	Coll.	4	B	H	H
449700	<i>Viola cenisia</i> L.	7	(Subalp.)-Alp.	4	B	H	
449800	<i>Viola collina</i> Besser	4	Coll.-Mont.-(Subalp.)	4	B	H	H
450500	<i>Viola lutea</i> Huds.	6-8	(Mont.)-Subalp.-(Alp.)	4	B	H	
451300	<i>Viola pinnata</i> L.	6	(Mont.)-Subalp.	4	B	H	
451500	<i>Viola pyrenaica</i> DC.	4-5	(Coll.)-Mont.-Subalp.	4	B	H	H
452900	<i>Viscum album</i> subsp. <i>austriacum</i> (Wiesb.) Vollm.			4	B	H	
454200	<i>Willemetia stipitata</i> (Jacq.) Dalla Torre	7-8	Mont.-Subalp.	4	B	H	
454500	<i>Woodsia alpina</i> (Bolton) Gray	7-9	(Mont.)-Subalp.-Alp.	4	B	H	H
455700	<i>Zannichellia palustris</i> L.	6-8	Coll.-(Mont.)	4	B	m	

En-têtes de colonnes / Spaltenüberschriften / Intestazioni di colonna

ISFS	Numéro de l'Index synonymique 2005 / Nummer des Synonymie-Index 2005 / Numero dell' Indice sinonimico
F	Mois de floraison / Blütezeit (Monate) / Fioritura (mesi)
A	Etage de végétation / Höhenverbreitung / Distribuzione altitudinale
C	Espèce cible (catégorie 1 à 4) / Zielarten (Kategorien 1 bis 4) / Specie bersaglio (categorie 1 a 4)
M	Méthode d'échantillonnage (B-Confirmation km ² ; I-Inventaire complet) / Erhebungsmethode (B-Bestätigung km ² ; I-Vollständiges Inventar) / Metodo di campionamento (B-Conferma nel km ² ; I-Inventario esaustivo)
U	Unité de comptage (F-Feuilles; H-Touffes, coussinets, I-Individus; T-Tiges; m-Surface [m ²]) / Zählinheit (F-Blätter; H-Horste, Polster, Büschel; I-Individuen; T-Triebe; m-Fläche [m ²]) / Unità di conteggio (F-Foglie; H-Cespi, cuscinetti; I-Esemplari; T-Steli/fusti; m-Superficie [m ²])
T	Type de témoin souhaité (D-photo; H-échantillon; T-échantillon&photo) / Erwünschter Beleg (D-Foto; H-Herbarbeleg; T-Beides) / Tipo di controllo desiderato (D-Fotografia; H-Campione di erbario; T-Foto & campione)

Espèces cibles - Catégories / Zielarten - Kategorien / Specie bersaglio - Categorie

1	Espèce cible / Zielart / Specie bersaglio
2	Espèce cible potentielle (sous-échantillonnage, rare d'après Atlas WS) / Potentielle Zielart (unterkartiert, selten laut Atlas WS) / Specie bersaglio potenziale (campionamento incompleto; rara nel Atlas WS)
3	Espèce cible potentielle (sous-échantillonnage, rare, aucune donnée dans la base CRSF) / Potentielle Zielart (unterkartiert, selten, keine Angaben in Datenbank ZDSF) / Specie bersaglio potenziale (campionamento incompleto; nessuna informazione nella banca di dati CRSF)
4	Espèce cible potentielle (sous-échantillonnage, fréquente ou non traitée d'après AtlasWS) / Potentielle Zielart (unterkartiert, häufig oder nicht im Atlas WS enthalten) / Specie bersaglio potenziale (campionamento incompleto; frequente o non trattata nel Atlas WS)